

ESE 2022

Main Exam Detailed Solutions

Electrical Engineering

EXAM DATE: 26-06-2022 | 9:00 AM to 12:00 PM

MADE EASY has taken due care in making solutions. If you find any discrepency/error/typo or want to contest the solution given by us, kindly send your suggested answer(s) with detailed explanation(s) at:

info@madeeasy.in

Corporate Office: 44-A/1, Kalu Sarai, Near Hauz Khas Metro Station, New Delhi-110016

Delhi | Hyderabad | Bhopal | Jaipur | Lucknow | Bhubaneswar | Pune | Kolkata | Patna





ANALYSIS

Paper-I **Electrical Engineering ESE 2022 Main Examination** SI. Marks **Subjects** 1. **Electric Circuits** 44 2. Electromagnetic Fields 52 **Electrical Materials** 3. 64 4. **Engineering Mathematics** 72 5. Basic Electronics Engineering 82 Computer Fundamental 6. 64 7. Electrical and Electronic Measurements 102 **Total** 480

Scroll down for detailed solutions

Section-A

Q.1 (a) Find the eigen values and the corresponding eigen vectors of the matrix

$$\begin{bmatrix} 3 & -1 & -2 \\ -1 & 3 & 2 \\ -2 & 2 & 6 \end{bmatrix}$$
. Is this matrix diagonalizable? Justify your answer.

[12 marks : 2022]

Solution:

Let

$$A = \begin{bmatrix} 3 & -1 & -2 \\ -1 & 3 & 2 \\ -2 & 2 & 6 \end{bmatrix}$$

The characteristic equation is $|A - \lambda I| = 0$

$$\begin{vmatrix} 3 - \lambda & -1 & -2 \\ -1 & 3 - \lambda & 2 \\ -2 & 2 & 6 - \lambda \end{vmatrix} = 0$$

$$(3-\lambda)[(3-\lambda)(6-\lambda)-4]-(-1)[-1(6-\lambda)-2\times(-2)]-2[-1\times2-(-2)\times(3-\lambda)]=0$$

$$(3 - \lambda)[18 - 3\lambda - 6\lambda + \lambda^2 - 4] + [\lambda - 6 + 4] - 2[-2 + 6 - 2\lambda] = 0$$

$$(3 - \lambda)[\lambda^2 - 9\lambda + 14] + \lambda - 2 + 4\lambda - 8 = 0$$

$$3\lambda^2 - 27\lambda + 42 - \lambda^3 + 9\lambda^2 - 14\lambda + 5\lambda - 10 = 0$$

$$-\lambda^3 + 12\lambda^2 - 36\lambda + 32 = 0$$

$$\lambda^3 - 12\lambda^2 + 36\lambda - 32 = 0$$

$$\lambda = 8, 2, 2$$

Hence, eigen values is 8, 2, 2.

If X, Y, Z be the components of an eigen vector corresponding to the eigen value λ , we have

$$[A - \lambda I] \begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = 0$$

For $\lambda = 8$,

$$\begin{bmatrix} 3-8 & -1 & -2 \\ -1 & 3-8 & 2 \\ -2 & 2 & 6-8 \end{bmatrix} \begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = 0$$

$$\begin{bmatrix} -5 & -1 & -2 \\ -1 & -5 & 2 \\ -2 & 2 & -2 \end{bmatrix} \begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = 0$$

$$-5X - Y - 2Z = 0$$

$$-2X + 2Y - 2Z = 0$$

Electrical Engineering

PAPER-I

$$\frac{X}{2+4} = \frac{Y}{-6} = \frac{Z}{-12} = K$$

$$\frac{X}{6} = \frac{Y}{-6} = \frac{Z}{-12} = K$$

$$\frac{X}{1} = \frac{Y}{-1} = \frac{Z}{-2} = K$$
Eigen vector $=\begin{bmatrix} 1 \\ -1 \\ -2 \end{bmatrix}$

For $\lambda = 2$

$$\begin{bmatrix} 3-2 & -1 & -2 \\ -1 & 3-2 & 2 \\ -2 & 2 & 6-2 \end{bmatrix} \begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = 0$$

$$\begin{bmatrix} 1 & -1 & -2 \\ -1 & 1 & 2 \\ -2 & 2 & 4 \end{bmatrix} \begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = 0$$

$$X-Y-2Z = 0$$

$$X-Y-2Z = 0$$

$$X-Y-2Z = 0 \Rightarrow \text{Only one independent equation}$$

Let $Y = K_1$ and $Z = K_2$

Vector =
$$\begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = \begin{bmatrix} K_1 + 2K_2 \\ K_1 \\ K_2 \end{bmatrix}$$
$$= K_1 \begin{bmatrix} 1 \\ 1 \\ 0 \end{bmatrix} + K_2 \begin{bmatrix} 2 \\ 0 \\ 1 \end{bmatrix}$$

Hence,

Eigen vector
$$\equiv$$
 $\begin{bmatrix} 1 \\ -1 \\ -2 \end{bmatrix}$, $\begin{bmatrix} 1 \\ 1 \\ 0 \end{bmatrix}$, $\begin{bmatrix} 2 \\ 0 \\ 1 \end{bmatrix}$

Necessary and sufficient condition for square matrix A to be diagonalized is that all the eigen vectors of A must be linearly independent.

Here, all eigen vectors are linear independent. Hence, matrix are diagonalized.

End of Solution

Q.1 (b) Classify the ways in which materials respond to magnetic fields and also specify their value of susceptibility.

[12 marks: 2022]

ESE 2022 Main Examination PAPER-I

Electrical Engineering

Solution:

Magnetic materials are classified into following categories on basic of their response of magnetic field applied externally.

- Diamagnetic materials
- Paramagnetic materials
- Ferromagetic materials
- Antiferromagnetic materials
- Ferrimagnetic materials

Diamagnetic Materials: They get feebly magnetised opposite to externally applied magnetic field as shown below. The value of magnetic susceptibility, χ_m for diamagnetic material is small negative of order of 10⁻⁸ and it is independent of temerature.

H = 0				<u>H</u> →		
\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	•	
\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	•	
\bigcirc	\bigcirc	\bigcirc				

Paramagnetic Materials: These materials get feebly magnetised in the same direction of applied external magnetising field as shown below. The value of magnetic susceptibility is small positive of order of $\sim (10^{-5} \text{ to } 10^{-2})$. Magnetic susceptibility is inversely proportional to temperature.

Ferromagnetic Materials: These materials get strongly magnetised in the applied external field direction as shown below. The value of magnetic susceptibility is positive and very high. The variation of magnetic susceptibility with temperature for these material is represented in below:

$$\chi_m = \frac{C}{T - T_C}$$

where T_C is critical temperature.

Above T_C ferromagnetic materials become paramagnetic.

Antiferromagnetic Materials: In these materials magnetic moments are aligned antiparallel to each other resulting in a net zero magnetic dipole as shown below. Magnetic susceptibility of antiferromagnetic material varies according to below relation

Electrical Engineering

PAPER-I

$$\chi = \frac{C}{T + T_N}$$

where T_N is Neel temperature.

Above Neel temperature antiferromagnetic material become paramagnetic.

Ferrimagnetic Materials: These materials consists of ferromagnetic parallel spins combined with some antiparallel spins such that net magnetic dipole is not cancelled to zero as in case of antiferromagnetic material which is shown below.



Magnetic susceptibility of ferrimagnetic material is positive, but its magnitude varies with kind of ordering and temperature.

End of Solution

Q.1 (c) The material parameters of a certain food item are given by $\sigma = 2.2$ s/m, ϵ = 48 ϵ_0 and μ = μ_0 at the operating frequency, f = 2.54 GHz of a microwave

oven. Determine
$$\alpha$$
, β , γ , ν_p and $\overline{\eta}$. Take $\epsilon_0 = \frac{10^{-9}}{36\pi}$ and $\mu_0 = 4\pi \times 10^{-7}$.

[12 marks : 2022]

Solution:

Now for any material

$$\gamma = \alpha + j\beta = \sqrt{j\omega\mu(\sigma + j\omega\varepsilon)}$$

Given the values:

$$\gamma = \sqrt{j(2\pi \times 2.54 \times 10^9)(4\pi \times 10^{-7})(2.2 + j \times (2\pi \times 2.54 \times 10^9)(48) \left(\frac{10^{-9}}{36}\right)}$$

$$\gamma = \sqrt{(200.3 \times 10^2 i)(2.2 + 21.26i)}$$

$$\gamma^2 = 428111.72 \angle 171.09$$

$$\gamma^2 = 654.30 \angle 87.045 = \alpha + j\beta$$

So,
$$\alpha = 33.73, \beta = 635.43$$

Now,
$$\lambda = \frac{2\pi}{\beta} = \frac{2\pi}{635.43} = 9.88 \times 10^{-3} \,\text{m}$$

$$V_P = \frac{1}{\sqrt{\mu \in \Omega}} = \frac{1}{\sqrt{\mu_O \times 48\epsilon_O}}$$

Electrical Engineering

PAPER-I

$$V_{P} = \frac{1}{\sqrt{4\pi \times 10^{-7} \times 48 \times \frac{10^{-9}}{36\pi}}} = 4.33 \times 10^{7} \text{ m/s}$$

$$= \sqrt{\frac{j\omega\mu}{(\sigma + j\omega \in)}}$$

$$\bar{\eta} = \sqrt{\frac{200.3 \times 10^{2} j}{(2.2 + 21.26i)}}$$


$$\bar{\eta} = 937.14 \angle 5.9^{\circ}$$

End of Solution

Q.1 (d) The following equations refer to a two-port network

$$V_1 = 5I_1 + 2I_2$$
$$V_2 = 2I_1 + I_2$$

A load resistance of 3 ohms is connected across port-2 terminals as shown in figure. Calculate the input Impedance.



[12 marks : 2022]

Solution:



$$V_1 = 5I_1 + 2I_2$$
 ...(i)
 $V_2 = 2I_1 + I_2$...(ii)

As a load resistance of 3 Ω is connected across port-2

$$V_2 = -V_L = 3I_2$$

 $V_2 = -3I_2$

Put the value of V_2 in eqn. (ii)

$$-3I_{2} = 2I_{1} + I_{2}$$

$$-4I_{2} = 2I_{1}$$

$$I_{2} = -\frac{1}{2}I_{1}$$

Now put the value of I_2 in eqn. (i)

Electrical Engineering

PAPER-I

$$\begin{array}{rcl} V_1&=&5I_1+2\times\left(-\frac{1}{2}I_1\right)\\\\ &=&5I_1-I_1=4I_1\\\\ &\frac{V_1}{I_1}&=&4\;\Omega \end{array}$$
 Input impedance
$$=&\frac{V_1}{I_1}=4\;\Omega$$

Hence,

Input impedance = 4Ω

Q.1 (e) Write a program in any programming language to compute the money accumulated in a cumulative fixed deposit of a bank for the principal P after n years. The rate

of interest is r percent per year compounded annually. The program should read the values of P, r and n. It should display the accumulated money as F.

[12 marks : 2022]

End of Solution

Solution:

The bank compounds the money anually, i.e., the fixed deposit principal amount, i.e., P will be compounded at a interest rate r for n years to accumulate the amount F.

Hence, the formula used,

$$F = P \left(1 + \frac{r}{100} \right)^n$$

The C-program to calculate *F* is given below:

include <stdio.h>

include <math.h> // for using pow, i.e., power function

void main ()

float P, r, n;

float F,

printf {"\n Enter the principal amount");

scanf("%f", &P)

printf("\n Enter the interest rate");

scanf("%f", %r);

printf("\n Eter the number of years for which the amount will be compounded");

scanf("%f", &n);

 $F = P^*C pow((1 + r/100), n))$

printf ("\n The accumulated moey is % f", F);

End of Solution



RANK IMPROVEMENT **COURSE FOR GATE 2023**

LIVE-ONLINE COURSE

Streams: CE, ME, EE, EC, CS

Batches commenced from 6th June, 2022 (7:00 PM - 9:00 PM)

- Course Duration: 300-350 Hrs
 Fee: Rs. 18,000 + GST
- Comprehensive problem-solving sessions by India's top faculties.
- Focus on improving accuracy & speed.
- Practice all types of questions to brush up on your concepts.
- Newly made workbooks (ecopy) in line with recent trends in GATE.
- Highly useful for repeaters candidates.

Note: Recorded videos are available for the subjects which are already taught.

Download the App





Android

Electrical Engineering

PAPER-I

Q.2 (a) (i) Use the residue theorem to evaluate the integral $\int_C \frac{e^z-1}{z(z-1)^2(z-i)} dz$, where

C is the circle |z| = 3.

(ii) Find the volume of the solid bounded by the sphere $x^2 + y^2 + z^2 = 20$ and the paraboloid $x^2 + y^2 = z$.


[10 + 10 marks : 2022]

Solution:

Given: Integral (i)

$$I = \int_{C} \frac{e^{z} - 1}{z(z - 1)^{2}(z - i)}, |z| = 3$$

Singularity points are at z = 0, 1, i and all lie inside the contour.



Residue at z = 0, i.e., R_1

$$R_1 = \lim_{z \to 0} zf(z)$$

where,

$$f(z) = \frac{e^{z} - 1}{z(z - 1)^{2}(z - i)}$$

$$\Rightarrow$$

$$R_1 = \lim_{z \to 0} z \cdot \frac{e^z - 1}{z(z - 1)^2(z - i)}$$

$$\Rightarrow$$

$$R_1 = 0$$

Residue at z = 1, i.e., R_2

$$R_2 = \frac{1}{(m-1)!} \lim_{z \to z_0} \frac{d^{m-1}}{dz^{m-1}} (z - z_0)^m f(z)$$

where *m* is the order of singularity.

$$\Rightarrow$$

$$R_2 = \frac{1}{(2-1)!} \lim_{z \to 1} \frac{d^{2-1}}{dz^{2-1}} (z-1)^2 \frac{(e^z-1)}{z(z-1)^2(z-1)}$$

$$\Rightarrow$$

$$R_2 = \lim_{z \to 1} \frac{d}{dz} \left[\frac{e^z - 1}{z^2 - iz} \right]$$

Electrical Engineering

PAPER-I

$$= \frac{e^{z}(z^{2}-iz)-(e^{z}-1)(2z-i)}{(z^{2}-iz)^{2}}$$

$$R_2 = \frac{e(1-i) - (e-1)(2-i)}{(1-i)^2}$$

$$R_2 = 0.5 - 0.359i$$

Residue for z = i, i.e., R_3

$$R_3 = \lim_{z \to i} (z - i) f(z)$$

$$R_3 = \lim_{Z \to i} (Z - i) \frac{e^Z - 1}{Z(Z - 1)^2 (Z - i)}$$

$$R_3 = \frac{1}{2}[e^i - 1]$$

So, from Cauchy's Integral formula,

$$I = 2\pi i [R_1 + R_2 + R_3]$$

 \Rightarrow

$$I = 2\pi i [0.5 - 0.359i + 0.5e^{i} - 0.5]$$

 \Rightarrow

$$I = 2\pi i [0.5 \cos 1 + i \ 0.5 \sin 1 - 0.359i]$$

$$I = -0.388 + 1.6974i$$

(ii) Sphere,

Paraboloid,

$$x^2 + y^2 = Z$$

...(2)

To find the intersection point, we perform equation (1) – equation (2)

$$z^2 = 20 - z$$

 \Rightarrow

$$z^2 + z - 20 = 0$$

z = 4, -5

By using cylindrical co-ordinates,

$$r^2 + z^2 = 20$$
 ...(3)

 \Rightarrow

$$z = \sqrt{20 - r^2}$$

 \Rightarrow

$$z = r$$

Volume,

$$V = \iiint_{V} r dz dr d\theta$$

for z = 4 in eqn. (3), we get

$$r^2 + 16 = 20$$

 \Rightarrow r = 2 as the radius is always positive.

for z = -5 in eqn. (3), we get

$$r^2 + 25 = 20 \implies r = \pm \sqrt{5}i$$

which is invalid as radius is always positive and real.

So,

$$V = \int_{0}^{2\pi} \int_{0}^{2\sqrt{20}-r^2} r dz dr d\theta$$

Electrical Engineering

PAPER-I

 \Rightarrow

$$V = \int_{0.0}^{2\pi} \int_{0}^{2} r \left[\sqrt{20 - r^2} - r \right] dr d\theta$$

V = 36.532 cubic units

End of Solution

- Explain the variation of transition temperature of a superconductor with its **Q.2** (b) (i) isotopic mass M.
 - (ii) The transition temperature of Mercury with an average atomic mass of 200.6 is 4.2 K. Evaluate the transition temperature of one of its isotopes, 80Hg²⁰⁴.


[8 + 12 marks : 2022]

Solution:

(i) According to isotopic effect, "The critical temperature T_c of a superconductor varies inversely with the square root of the isotpic mass, i.e., M. The relation can be given by

$$T_c M^{1/2}$$
 = Constant

$$T_c \propto \frac{1}{M^{1/2}}$$



This isotopic effect was discovered in 1950 by Maxwell and Reynolds while they were obtaining critical temperature of different isotoes of Mercury (Hg).

(ii) Given: Average atomic mass, $M_1 = 200.6$

Critical temperature,

 $T_{c1} = 4.2 \text{ K}$

Isotopic mass of mercury,

 $M_2 = 204$

Let the critical temperature for $_{80}{\rm Hg^{204}}$ be T_{c_2} in K, then

$$T_c \propto \frac{1}{M^{1/2}}$$

where T_c is critical temperlature, M is isotopic mass.

$$\Rightarrow$$

$$\frac{T_{c_1}}{T_{c_2}} = \sqrt{\frac{M_2}{M_1}}$$

$$\Rightarrow$$

$$T_{c_2} = T_{c_1} \sqrt{\frac{M_1}{M_2}}$$

Electrical Engineering

PAPER-I

$$7_{c_2} = 4.2\sqrt{\frac{200.6}{204}}$$

$$7_{c_3} = 4.165 \text{ K}$$

End of Solution

- A 10 HP induction motor runs from a 3-phase 400 volts supply on no-load. Q.2 (c) (i) The motor takes a line current of 4 A at a power factor of 0.208 (lag). On full load it operates at power factor of 0.88 (lag) and with an efficiency of 89%. Determine the readings on each of the two watt-meters connected to read total power (1) on no-load and (2) on full-load.
 - (ii) What is a filter? State the ideal characteristics of a filter.

[10 + 10 marks : 2022]

Solution:

 $V_{I} = 400 \, \text{V}$ (i) Given:

(1) At no load condition:

$$\phi = \cos^{-1}(0.208) = 78^{\circ}$$

 $P_{\rm in} = \sqrt{3}V_I I_I \cos \phi$ Motor input power,

$$= \sqrt{3} \times 400 \times 4 \times 0.208$$

= 576.42 Watt

In two wattmeter method,

Power measured by wattmeter W_1 is,

$$P_1 = V_I I_I \cos(30 - \phi)$$

$$P_1 = 400 \times 4 \times \cos(30^{\circ} - 78^{\circ})$$

$$P_1 = 1070.60 \, \text{Watt}$$

Similarly reading of second wattmeter (W_2)

$$P_2 = V_1 I_1 \cos(30^\circ + \phi)$$

$$= 400 \times 4 \times \cos(30^{\circ} + 78^{\circ})$$

$$= -494.42 \text{ Watt}$$

 $P_1 = 1070.60 \, \text{Watts}$ Therefore.

$$P_2 = -494.42 \text{ Watts}$$

(2) At full load condition:

$$P_{\rm in} = \frac{P_o}{n} = \frac{10 \times 746}{0.89} = 8382 \text{ Watts}$$

 $\sqrt{3}V_LI_L\cos\phi = P_{in}$ As we know.

Line current,
$$I_L = \frac{8382}{400\sqrt{3} \times 0.88} = 13.74 \text{ A}$$

Full load power factor angle,

$$\phi = \cos^{-1}(0.88) = 28.35^{\circ}$$

Therefore,

Reading of first wattmeter (W_1)

$$P_1 = V_L I_L \cos(30^\circ - \phi)$$

$$= 400 \times 13.74 \times \cos(30^{\circ} - 28.35^{\circ})$$

 $P_1 = 5493.72 \text{ Watts}$

Similarly reading of second wattmeter (W_2)

$$P_2 = V_1 I_1 \cos(30^\circ + \phi)$$

$$= 400 \times 13.74 \times \cos(30^{\circ} + 28.35^{\circ})$$

 $P_2 = 2883.91 \text{ Watts}$

 $P_1 = 5493.72 \, \text{Watts}$

 $P_2 = 2883.91 \text{ Watts}$


- (ii) A filter is a electronic circuit that removes any unwanted component or features from a signal. In other words, it is a circuit that rejects certain band of frequencies and allows others to pass through it. Filters are mainly classified into two categories :
 - (1) Active filter; (2) Passive filter

Active Filters: This filter circuit consists of active components like transistors and opamps in addition to RLC components.


Passive Filters: These filters only consists of passive element (RLC).

Filters are further categorized based on the operating frequencies of a particular circuit.

(1) Low Pass Filter: This filter attenuates all the frequencies above the cut-off frequencies. Ideal low pass filter provides a constant gain from zero to cut-off frequency.




(2) High Pass Filter: Filter which attenuates all the frequency components below the cut-off frequency.




(3) Band Pass Filters: This filter pass all the frequency components in a particular band of frequencies and reject all the frequency components outside the pass band.

Electrical Engineering


PAPER-I



(4) Band Reject Filters: This filter reject all the frequency components lies in a particular band of frequencies and pass all other frequency components.



(5) All Pass Filters: This filter pass all frequency components of a signal. It is also known as phase-shifter, time-delay filter.



End of Solution

Obtain the equations of regression lines and the correlation coefficient for **Q.3** (a) (i) the following data. Justify the sign of correlation coefficient.

x	1	2	3	4	5
У	2	5	3	8	7

(ii) The probability density function of a random variable x is

$$f(x) = \begin{cases} \alpha x(2-x), & 0 \le x \le 2\\ 0, & \text{otherwise} \end{cases}$$

for some real number α . Find the value of α and the variance of x.

[10 + 10 marks : 2022]

Solution:

Regression equation of X on Y (i)

$$X - \overline{X} = \frac{r\sigma x}{\sigma y} = \frac{\Sigma Xy}{\Sigma y^2}$$

 \Rightarrow Regression equation of Y on X

$$Y - \overline{Y} = \frac{r\sigma_y}{\sigma_x}(X - \overline{X})$$

$$b_{yx} = \frac{r\sigma_y}{\sigma_x} = \frac{\Sigma XY}{\Sigma x^2}$$

Now, given data:

X	X^2	Υ	Y^2	XY
1	1	2	4	2
2	4	5	25	10
3	9	3	9	9
4	16	8	64	32
5	25	7	49	35
$\Sigma X = 15$	55	25	151	88

$$\bar{X} = \frac{\Sigma X}{N} = \frac{15}{5} = 3$$

$$\overline{Y} = \frac{\Sigma Y}{N} = \frac{25}{5} = 5$$

 \Rightarrow Regression equation of X on Y

$$(X - \overline{X}) = \frac{\Sigma XY}{\Sigma y^2} (Y - \overline{Y})$$

$$(X-3) = \frac{88}{151}(Y-5)$$

$$X - 3 = 0.582(Y - 5)$$

$$X = 0.582Y + 0.09$$

 \Rightarrow Regression equation of Y on X

$$Y - \overline{Y} = \frac{\Sigma XY}{\Sigma X^2} (X - \overline{X})$$

$$Y - 5 = \frac{88}{55}(X - 3)$$

$$Y - 5 = 1.6(X - 3)$$

$$Y = 1.6X + 0.2$$

$$b_{xy} = 0.582$$

$$b_{vx} = 1.6$$

Electrical Engineering

PAPER-I

Correlation coefficient =
$$\sqrt{b_{xy}b_{yx}}$$

= $\sqrt{0.582 \times 1.6}$
= 0.964
(ii)
$$f(x) = \begin{cases} \alpha x(2-x), & 0 \le x \le 2 \\ 0, & \text{otherwise} \end{cases}$$

As f(x) is probability density function

Now,
$$\int_{-\alpha}^{\alpha} f(x)dx = 1$$

$$\int_{x=0}^{\alpha} f(x)dx = 1$$

$$\int_{x=0}^{x=2} \alpha x(2-x)dx = 1$$

$$\int_{x=0}^{x=2} (2\alpha x - \alpha x^2) = 1$$

$$\left[2\alpha \frac{x^2}{2} - \alpha \frac{x^3}{3}\right]_{x=0}^{x=2} = 1$$

$$4\alpha - \frac{8\alpha}{3} = 1$$

$$\alpha = \frac{3}{4} = 0.75$$

$$f(x) = \frac{3}{4}x(2-x)$$

$$= \frac{3}{2}x - \frac{3}{4}x^2$$

$$Mean = E(x) = \int_{x=0}^{x=2} xf(x)dx$$

$$= \int_{x=0}^{x=2} x\left(\frac{3}{2}x - \frac{3}{4}x^2\right)dx$$

$$= \int_{x=0}^{x=2} \left(\frac{3}{2}x^2 - \frac{3}{4}x^3\right)dx$$

$$= \left[\frac{3}{2}\frac{x^3}{3} - \frac{3}{4} \times \frac{x^4}{4}\right]_0^2$$

Electrical Engineering

PAPER-I

$$E(x^{2}) = \int_{x=0}^{x=2} x^{2} f(x) dx$$

$$= \int_{x=0}^{x=2} x^{2} \left(\frac{3}{2}x - \frac{3}{4}x^{2}\right) dx$$

$$= \int_{x=0}^{x=2} \left(\frac{3}{2}x^{3} - \frac{3}{4}x^{4}\right) dx$$

$$= \left[\frac{3}{2} \times \frac{x^{4}}{4} - \frac{3}{4} \times \frac{x^{5}}{5}\right]_{x=0}^{x=2}$$

$$= 1.2$$
Variance = $E(x^{2}) - [E(x)]^{2}$

$$= 1.2 - (1)^{2} = 0.2$$

End of Solution

- Evaluate value of frequency at which conduction current density and **Q.3** (b) (i) displacement current density are equal
 - (a) distilled water, where, $\sigma = 2.0 \times 10^{-4}$ s/m and $\epsilon_r = 81$.
 - (b) sea water where $\sigma = 4.0$ s/m and $\epsilon_r = 1$.

[10 marks : 2022]

(ii) In spherical co-ordinates V = -35 V on a conductor at r = 3 cm and V = 150 V at r = 40 cm. The space between conductors is a dielectric for which $\epsilon_r = 3.12$. Evaluate surface charge densities on the conductors.

[10 marks : 2022]

Solution:

Conduction current density, Displacement current density

$$J_C = \sigma E$$

$$J_D = \varepsilon_o \frac{\partial D}{\partial t}$$
$$= \varepsilon_o \varepsilon_r \omega E$$

(a) For distilled water,

$$\sigma = 2 \times 10^{-4} \text{ s/m}, \, \varepsilon_r = 81$$

$$J_C = J_D$$

$$\sigma E = \omega \in \mathcal{E} E$$

$$\sigma = \omega \in \mathcal{E}_{\mathcal{O}}$$

$$\omega = \frac{\sigma}{\epsilon_r \epsilon_o} = \frac{2 \times 10^{-4}}{81 \times 8.88 \times 10^{-12}}$$

$$= 2.78 \times 10^5 \text{ rad/sec}$$

$$f = \frac{\omega}{2\pi} = 44.27 \text{ kHz}$$

Electrical Engineering

PAPER-I

(b) Sea water,

(ii)

$$\sigma = 4 \text{ s/m}, \in_r = 1$$

$$\omega = \frac{\sigma}{\epsilon_r \epsilon_o} = \frac{4}{1 \times 8.88 \times 10^{-12}}$$

$$= 4.504 \times 10^{11} \, \text{rad/sec}$$

$$f = 7.17 \times 10^{10} \,\text{Hz}$$

$$V = -35 \text{ V}, r = 3 \text{ cm}$$

$$V = 150 \text{ V}, r = 40 \text{ cm}$$

Spherical surface are equipotential.

The potential is constant with θ and ϕ .

The Laplace equation gets reduced to

$$\nabla^2 V = 0$$

$$\frac{\partial}{\partial r}r^2\frac{\partial V}{\partial r} = 0$$

$$r^2 \frac{\partial V}{\partial r} = A$$

$$\frac{\partial V}{\partial r} = \frac{A}{r^2}$$

$$\int \partial V = \int \frac{A}{r^2} \partial r$$

$$V = -\frac{A}{r} + B$$

Put the given value to find out the value of A and B.

$$-35 = -\frac{A}{3 \times 10^{-2}} + B$$

$$150 = -\frac{A}{40 \times 10^{-2}} + B$$

$$A = 6, B = 165$$

$$V(r) = -\frac{6}{r} + 165$$

Now,

$$\vec{E} = -\nabla V$$

$$= -\frac{\partial V}{\partial r}\hat{a}_r = -\frac{6}{r^2}\hat{a}_r$$

$$\vec{D} = \varepsilon_r \varepsilon_o E = -\frac{6\varepsilon_r \varepsilon_o}{r^2} \hat{a}_r \text{ c/m}^2$$

Surface charge densities,

$$P_S = \left| \vec{D} \right|$$

$$= \frac{6\varepsilon_r \varepsilon_o}{r^2}$$

$$= \frac{18.72\varepsilon_o}{r^2}$$

18



GENERAL STUDIES FOR **STATE ENGINEERING & SSC EXAMS**

LIVE-ONLINE COURSE

Batches commenced from 1st June, 2022 (6:30 PM – 9:30 PM)

Early Bird Discount of Rs. 4,000/- till 30th June, 2022

Fee: Rs. 18000/- Rs. 12,000 + GST

- Comprehensive coverage of the entire sections of General Studies.
- Designed as per the latest syllabus and trend of various State Engineering Exams and SSC Exams.
- Designed as per the latest syllabus and trend of various State Engineering Exams and SSC Exams.
- Well-designed comprehensive study material will be sent to your address.

SUBJECT COVERED:

- History
- General Science
- Polity
- Environment

- Geography
- ✓ General Knowledge
- Economy
- Current Affairs

Note: Recorded videos are available for the subjects which are already taught.

Download the App





Android

iOS

Electrical Engineering

PAPER-I

End of Solution

Q.3 (c) (i) Distinguish between a power transformer and current transformer (CT) and discuss the effect of secondary CT open circuit, while primary winding is energized.

[10 marks : 2022]

(ii) A 1000/5, 50 Hz CT has a bar primary and a resistive burden of 12.5 VA at rated current. The secondary winding has a leakage inductance of 0.96 mH. The core requires a magnetising mmf of 16 AT and a loss component of 12 AT, when rated current flows in the secondary. Calculate the secondary turns at which the ratio error is eliminated.

[10 marks : 2022]

Solution:

Differences between a Power Transformer and Current Transformer: (i)

Power Transformer	Current Transformer
Power transformer is used to convert voltage using the number of windings in the two coils as ratio of turns in both winding.	Current transformer have only one winding placed around a wire to measure current in that winding.
More emphasis is on efficiency of transformer then accuracy.	There should be minimum phase and ratio error hence measurement can be accurate.
Power transformer used for both purposes, i.e, stepdown and step up voltage and current.	Current transformer used for only step down current hence it can be measured by ordinary measuring instruments.
Power transformer can be used for open and close circuit of secondary both.	Current transformer can not be used at secondary open circuit while primary is energised.
Resistance of coil of both primary and secondary is higher than current transformer is winding.	Resistance of coil with which current transformer is secondary winding is connected is small.
Power transformer used for high power rating.	While current transformer is used for low power (VA) rating.
Eddy and hysteresis losses are higher than current transformer.	Eddy and hysteresis losses are lower than power transformer.

Effect of Current Transformers secondary open circuit while primary is energised.

If the secondary is open circuit while primary is energised, the primary winding mmf remains same. Because current in secondary winding producing counter mmf that reducing primary mmf. If secondary is O.C., then there is no secondary current, hence, no counter mmf. Hence, there will be very large primary mmf which saturated core flux hence very high voltage induced on secondary side. This high voltage causing failure of insulation on secondary side which will dangerous to the person working nearer to current transformer.

(ii) 100/5 A, 50 Hz on primary side.

Resistive burden = 12.5 VA @ rated current

Leakage inductance on secondary side = 0.96 mH



Electrical Engineering

PAPER-I

Magnetising mmf = 16 AT Loss component = 12 AT

Ratio error = $\frac{\text{Nominal Ratio} - \text{Actual Ratio}}{\text{Actual Ratio}} = \frac{K_n - R}{R}$

For zero ratio error,

$$K_n - R = 0$$
$$K_n = R$$

where,

$$R = Actual ratio$$

$$R = \frac{\overline{I}_P}{\overline{I}_S}$$

$$R = \frac{I_o + nI_S}{I_S}$$

where,

$$I_o = I_{\mu} + I_C$$

 I_{μ} = Magnetising current

 $I_C = Loss$ component of primary current

n = Turns ratio

$$K_n \approx n = \frac{N_2}{N_1} \Rightarrow R = \frac{I_O + \frac{N_2}{N_1} I_S}{I_S} = \frac{N_1 I_O + N_S I_S}{N_1 I_S}$$

$$\frac{N_1(I_C + I_{\mu}) + N_2 I_s}{N_1 I_s} = \frac{N_2}{N_1}$$

Ratio error = Nominal turns ratio – Actual turn ratio Actual ratio

For zero ratio error

Nominal turns ratio = Actual ratio

$$K_n = R$$

Nominal ratio =
$$\left(\frac{I_P}{I_S}\right)_{\text{Rated}} = \frac{1000}{5} = 200$$

Actual ratio =
$$\left(\frac{I_P}{I_S}\right)_{Actual}$$

Given resistance Bundon on secondary side = 12.5 VA

at rated current ⇒

$$5 \times v = 12.5$$

Hence,

$$v = \frac{12.5}{5} = 2.5 \text{ Volt}$$

Hence,

$$R = \frac{V}{i} = \frac{2.5}{5} = 0.5 \text{ N}$$

 $Z_P = R + jX_L = 0.5 + j(2 \times \pi \times 50 \times 0.96 \times 10^{-3})$

$$Z_P = 0.5 + j0.30$$

Actual secondary current = $\frac{v}{Z_D}$

20

Electrical Engineering

PAPER-I

$$(I_S)_{Actual} = \frac{2.5}{0.5 + j0.30} \Rightarrow (I_S)_{Actual} = 4.275 A$$

$$I_P = I_{\mu} + I_C + nI_S = \overline{I}_o + n\overline{I}_S$$

where,

 I_P = Primary current I_C = Loss component

 I_{\sqcup} = Magnetising component

$$\frac{I_o + nI_S}{I_S} = \frac{1000}{5} = 200$$

$$\frac{I_C + I_{\mu}}{I_S} + \eta = 200$$

∵ Primary having single turn

Hence,

$$I_C N_1 + I_u N_1 = 16 + 12 = 28$$

 $I_{\rm S} = 4.27 \, {\rm A}$


$$n = 200 - \frac{28}{4.275} = 200 - 6.54$$

 $n \simeq 193.46$

 $N_2 = 193$ for elimination of ratio error.

End of Solution

Q.4 (a) Obtain the Thevenin's equivalent at the terminals a, b for the figure shown. What will be the maximum power supplied by the circuit to a load resistance?



[20 marks : 2022]


21

Electrical Engineering

PAPER-I

Solution:

To Thevenin's, we find the V_{OC} across ab first



So writing KCL at V_2 first

$$\frac{V_2 - 5 - V_1}{2} + \frac{V_2 + 2V_a}{2} + \frac{V_2 - V_1}{1} = 0$$

$$V_2 - 5 - V_1 + V_2 + 2(V_1 - V_2) + 2V_2 - 2V_1 = 0$$

$$2V_2 - V_1 = 5$$
 ...(i)

Writing KCL at V_1 , we get

$$\frac{V_1 + 5 - V_2}{2} + \frac{V_1 - 10}{2} + \frac{V_1 - V_2}{1} = 0$$

$$V_1 + 5 - V_2 + V_1 - 10 + 2V_1 - 2V_2 = 0$$

$$4V_1 - 3V_2 = 5 \qquad ...(ii)$$

Using (i) and (ii), we get

$$V_1 = 5 \text{ V}, V_2 = 5 \text{ V}$$

So, I_1 in figure is

So,


So,

$$\frac{V_2 - 5 - V_1}{2} = -2.5 \text{ A}$$

$$V_a = V_2 - I_1 \times 1 \Omega = 5 - [-2.5] = 7.5 \text{ V}$$

$$V_{OC} = 7.5 \text{ V}$$

Now, for $R_{\rm int}$ are switched off independent sources



Electrical Engineering

PAPER-I

Doing Mesh Analysis:

$$V - (I_1 - I_2)1 - (I_1 - I_3)2 + 2(I_2 - I_3) = 0$$

$$V - I_1 + I_2 - 2I_1 + 2I_3 + 2I_2 - 2I_3 = 0$$

$$V - 3I_1 + 3I_2 = 0$$
 ...(i)

For Loop I_2 :

$$I_2 - I_3 + I_2 - I_1 + I_2 = 0$$

 $3I_2 = I_3 + I_1$...(ii)

For Loop 3:

$$\begin{split} 2(I_2-I_3) + 2(I_3-I_1) + I_3-I_2 + 2I_3 &= 0 \\ 2I_2-2I_3 + 2I_3-2I_1 + I_3-I_2 + 2I_3 &= 0 \\ I_2-2I_1 + 3I_3 &= 0 \\ I_2 &= 2I_1-3I_3 \\ 3I_2 &= I_3+I_1 \end{split}$$
 ...(iii)

So,

$$6I_1 - 9I_3 = I_3 + I_1$$

$$5I_1 = 10I_3$$

$$\left(I_3 = \frac{I_1}{2}\right) \qquad \dots (iv)$$

Using (iv) in (ii)

$$3I_2 = \frac{3I_1}{2}$$

$$\left(I_2 = \frac{I_1}{2}\right) \qquad \dots (\vee)$$


Using (v) in (i)

$$V = 3I_1 - \frac{3I_1}{2}$$

$$V = \frac{3I_1}{2}$$

$$\frac{V}{I_1} = \frac{3}{2} = R_{\text{int}}$$

So, equivalent thevenin representation is



So, maximum power transfer when

$$R_{\text{load}} = 1.5 \,\Omega$$

Electrical Engineering

PAPER-I

So,
$$P_{\text{max}} = \left(\frac{7.5}{3}\right)^2 \times 1.5 \,\Omega$$
$$= 9.375 \,\text{W}$$

End of Solution

Q.4 (b) (i) Compare the phenomenon of Piezoelectricity and Ferroelectricity.

[8 marks : 2022]

(ii) Compute the packing efficiency and density of diamond. Consider diamond as diamond cubic (DC) structure and lattice parameter, a = 3.57 Å and mass of atom $m = 1.66 \times 10^{-27} \text{ kg}$.

[12 marks : 2022]

Solution:

(i) The phenomenon of Piezoelectricity and Ferroelectricity are compared as follows:

Piezoelectricity	Ferroelectricity	
(i) Material generates potential when mechanical stress is applied across it.	(i) Material exhibits spontaneous polarisation in presence of elastic field.	
(ii) Larger class of material.	(i) Ferroelectronics are subclass of piezoelectrics.	
(iii) All piezoelectric materials are not ferroelectirc.	(iii) All ferroelectric materials are piezoelectrics.	
(iv) Used in applications like pressure- transducer.	(iv) Used in application like transformer core.	
(v) e.g., Rochelle salt quartz	(v) e.g., Lead titanate PbTiO ₃	

(ii) Packing Efficiency of Diamond:

Atoms present at CCP = 4

Atoms present at alternate $T_o V_o = 4$

So, total number of atoms in diamond,

$$Z = 8$$

So,

$$pf = \frac{Z \times \frac{4}{3} \times \pi r^3}{a^3} \qquad \dots (i)$$

Now to find relation between a and r.

We know atoms touch corner with TV.

So.

$$\frac{\sqrt{3}a}{4} = 2r$$

$$a = \frac{8r}{\sqrt{3}} \qquad \dots (ii)$$

Using (ii) in (i), we get

Electrical Engineering

PAPER-I

$$pf = \frac{\frac{4}{3} \times \pi \times 8 \times r^3}{\left(\frac{8r}{\sqrt{3}}\right)^3} = 0.34 \text{ or } 34\%$$

To find density:

$$\rho = \frac{Z \times m}{a^3}$$

Using the values given

$$m = 1.66 \times 10^{-27} \text{ kg}$$

 $a = 3.57 \times 10^{-10} \text{ m}$

We get

$$\rho = \frac{8 \times 1.66 \times 10^{-27}}{(3.57 \times 10^{-10})^3} = 0.291 \times 10^3$$


End of Solution

- Q4 (c) An AC bridge with terminals A, B, C, D (consecutively marked) has in arm AB, a pure resistance; arm BC a resistance of 800 ohms in parallel with a capacitor of $0.5~\mu F$; arm CD, a resistance of 400 ohms in series with a capacitor of 1 μF ; and arm DA a resistance of 1000 ohms
 - obtain the value of the frequency for which the bridge can be balanced by first deriving the balance equations connecting the branch impedance, and draw phasor diagram, and
 - (ii) calculate the value of the resistance in arm AB to produce balance.

[20 marks : 2022]

Solution:

This is Wein's bridge:



Electrical Engineering

PAPER-I

For balance equation,

$$Z_1 Z_3 = Z_2 Z_4$$

$$R_1 \left(R_3 + \frac{1}{j\omega C_3} \right) = R_2 \left(\frac{R_4 \cdot \frac{1}{j\omega C_4}}{R_4 + \frac{1}{j\omega C_4}} \right)$$

$$R_1 \left(\frac{1 + j\omega C_3 R_3}{j\omega C_3} \right) = R_2 \left(\frac{R_4}{1 + j\omega R_4 C_4} \right)$$

$$R_1(1 + j\omega C_3 R_3)(1 + j\omega R_4 C_4) = R_2 R_4(j\omega C_3)$$

$$R_1(1 + j\omega C_3 R_3 + j\omega R_4 C_4 - \omega^2 C_3 R_3 C_4 R_4) = R_2 R_4(j\omega C_3)$$

By separating Img and Real on sixth side and comparing

$$R_1 - \omega^2 C_3 C_4 R_3 R_4 R_1 = 0$$

$$1 - \omega^2 C_3 C_4 R_3 R_4 = 0 \implies \omega^2 = \frac{1}{R_3 R_4 C_3 R_4}$$

Hence,

$$\omega = \frac{1}{\sqrt{C_3 C_4 R_3 R_4}} \qquad ...(1)$$

By comparing Img part


$$R_{1}[\omega C_{3}R_{3} + \omega C_{4}R_{4})] = \omega C_{3}R_{2}R_{4}$$

$$R_{1}[R_{3}C_{3} + C_{4}R_{4})] = C_{3}R_{2}R_{4}$$

$$\frac{R_{2}}{R_{1}} = \frac{R_{3}}{R_{4}} + \frac{C_{4}}{C_{3}} \qquad ...(2)$$

Phasor:

$$V_1 = V_2 = I_1 R_1 = I_2 R_2$$



26

Electrical Engineering

PAPER-I

(i)

$$\begin{split} \omega^2 &= \frac{1}{R_3 R_4 C_3 R_4} \Rightarrow \omega^2 = \frac{1}{R_3 R_4 C_3 C_4} \\ R_3 &= 400 \ \Omega, \ R_4 = 800 \ \Omega, \ C_4 = 0.5 \ \mu\text{F} \\ C_3 &= 1 \ \mu\text{F}, \ R_2 = 1000 \ \Omega \\ \omega^2 &= \frac{1}{400 \times 800 \times 10^{-6} \times 0.5 \times 10^{-6}} \\ \omega^2 &= \frac{1}{16 \times 10^{-8}} \quad \Rightarrow \omega = \frac{1}{4} \times 10^4 \ \text{rad/sec} \\ 2\pi f &= 0.25 \times 10^4 \ \text{rad/sec} \end{split}$$

(ii) From eqn. (2)

$$\frac{R_2}{R_1} = \frac{R_3}{R_4} + \frac{C_4}{C_3}$$
 (By putting values)
$$\frac{1000}{R_1} = \frac{400}{800} + \frac{0.5}{1}$$


$$\frac{1000}{R_1} = 1 \implies R_1 = 1 \text{ k}\Omega$$

End of Solution

Section-B


 $f = 398.08 \, \text{Hz}$

Q.5 (a) Two terminals shown in figure coming out of a network show a voltage of 150 V on open circuit and give a current of 3 A on short-circuit. If a resistor of 10 Ω is connected as a load between the two terminals the current falls to 2.65 A. Determine the equivalent voltage generator circuit and find whether the circuit is capacitive or inductive.



[12 marks : 2022]

Solution:



Given,


Open circuit = $150 = |V_{OC}|$

Electrical Engineering

PAPER-I

$$V_{OC} = 150 \angle 0^{\circ} \text{V}$$

Now when the circuit is short circuited around points AB we get



$$I_{SC} = \frac{V_{OC}}{R + jx}$$


$$\left|I_{SC}\right| = \frac{\left|V_{OC}\right|}{\sqrt{R^2 + X^2}}$$

So,

$$\frac{150}{\sqrt{R^2 + X^2}} = 3$$

$$R^2 + X^2 = 2500$$
 ...(i)

Now when load $R = 10 \Omega$ applied across AB



$$I = \frac{V_{OC}}{(R+10)+jX}$$

$$|I| = \frac{|V_{OC}|}{\sqrt{(R+10)^2 + X^2}} = \frac{150}{2.65} = 56.6$$

 $(R + 10)^2 + X^2 = 3203.987$...(ii)

Using equation (i) in (ii),

$$(R + 10)^2 + 2500 - R^2 = 3203.98$$

$$R^2 + 100 + 20R + 2500 - R^2 = 3203.98$$

$$20R = 3203.98 - 2500 - 100$$

20R = 603.98

 $R = 30.199 \,\Omega$


Now in (i),

$$R^2 + X^2 = 2500$$

 $X^2 = 1587.998$

 $X = \pm 39.85 \,\Omega$

So equivalent circuit is



It is not possible to determine if circuit is modulate or capacitance with given information.

End of Solution



Recorded Classes

General Studies & **Engineering Aptitude** for ESE 2023 Prelims (Paper-I)

- 200 Hrs of comprehensive classes.
- Teaching pedagogy similar to the classroom course.
- Study material will be provided.
- Streams: CE, ME, EE, E&T

Total 8 Subjects are covered

(Engineering Maths and Reasoning Aptitude will not be covered)

- Current Affairs
- General Principles of Design, Drawing & Safety
- Standards and Quality Practices in Production, Construction, Maintenance and Services
- Basics of Energy and Environment
- Basics of Project Management
- Basics of Material Science and Engineering
- Information and Communication Technologies
- **Solution** Ethics and values in Engineering Profession

Download the App





Android

iOS







Fee: Rs. 14,000 + GST

Electrical Engineering

PAPER-I

- Q.5 (b) Zinc has HCP structure. The height of the unit cell is 0.494 Å. The nearest neighbour distance is 0.27 nm. The atomic weight of zinc is 65.37. Evaluate,
 - (i) The volume of the unit cell.
 - (ii) The density of zinc

Take NA = 6.0238×10^{26} Molecules/Kg Mole.

[12 marks : 2022]

Solution:

Given, Nearest neighbour distance, $a = 2r = 0.27 \text{ nm} = 0.27 \times 10^{-9} \text{ m}$

Atomic weight of $Z_n = 65.37$

The height of the unit cell,

 $h = 0.494 \, \text{nm}$

(i) Volume of unit cell,

The volume of the HCP unit cell is given by

$$V = \frac{3\sqrt{3} a^2 h}{2} = \frac{3\sqrt{3} a^2 h}{2}$$

Substituting the values we get

$$V = \frac{3\sqrt{3}(0.27 \times 10^{-9})^2 \times 0.494 \times 10^{-9}}{2}$$

$$V = 9.35 \times 10^{-29} \,\mathrm{m}^3$$

$$V = 9.35 \times 10^{-29} \,\mathrm{m}^3$$

(ii) The density of zinc,

Effective number of atom's in unit cell of HCP,

$$n = 6$$

Using the relation,

$$\rho = \frac{nm}{N_0 \times V}$$
 we have,

[Where n = 6, m = 65.37 (given) $N_A = 6.0238 \times 10^{26}$]

$$\rho = \frac{6 \times 65.37}{6.0238 \times 10^{26} \times 9.35 \times 10^{-29}}$$

$$\rho~\approx~6964~kg/m^3$$

End of Solution

- Q.5 (c) Distinguish between
 - High level language and low level language. (i)
 - (ii) Machine cycle and instruction cycle.
 - (iii) Memory mapped Input/Output and Input/Output mapped Input/Output.

 $[4 \times 3 = 12 \text{ marks} : 2022]$

Solution:

(i) High level language and low level language,

The difference between high level and low level languages:

Electrical Engineering	PA

S. No.	High Level language	Low Level language	
1.	It is programmer friendly language.	It is machine friendly language.	
2.	High level language is less memory efficient.	Low level language is high memory efficient.	
3.	It is easy to understand.	It is tough to understand.	
4.	It is simple to debug.	It is complex to debug.	
5.	It is simple to maintain	It is complex to maintain comparatively.	
6.	It is portable.	It is non-portable.	
7.	It can run on any platform.	It is machine dependent.	
8.	Compiler or interpreter for translation.	It need's assembler for translation.	
9.	It is used widely for programming.	It is not commonly used now a days in programming.	

(ii) Machine cycle and instruction cycle

The difference between machine cycle and instruction cycle is as follows:

Machine Cycle	Instruction Cycle			
The steps that get performed by the processor getting employed in a device and all the instruction's that get implemented.	A process by which a computer takes an instruction given by a program then understands it and executes if from memory			
Processes				
Fetch, decode, execute and store	Fetch, decode, execute and run			
Component's				
Memory unit and central processing unit.	Arithmetic logic unit, registers, data and memory.			
Value				
The steps required by CPU to fetch and execute an instruction is called an instruction cycle.	The time required by the microprocessor to complete the operation of accessing memory or I/O device is called machine cycle.			

(iii) Difference between memory mapped I/O and I/O mapped I/O.

The microprocessor cannot do anything by itself therefore, it needs to be linked with memory, extra peripherals or I/O device. This linking is called interfacing.

The interfacing of the I/O device in 8085 can don in two mass:

- 1. Memory mapped I/O interfacing: In this kind of interfacing, we assign a memory address that can be used in the same manner as we use a normal memory location.
- 2. I/O mapped I/O interfacing:

A kind of interfacing in which we assign an 8-bit address value of the input/output devices which can be access using IN and OUT interaction is called I/O mapped IO interfacing.

Electrical Engineering

PAPER-I

Difference between memory-mapped I/O interfacing and I/O mapped I/O interfacing.

	Features	Memory mapped I/O	I/O mapped I/O
1.	Addressing	I/O devices are accessed like any other memory location.	They cannot be accessed like any other memory location.
2.	Address size	16-bit	8-bit
3.	Instruction used	The instruction used are LDA and STA etc.	The instruction used are IN and OUT.
4.	Cycles	Cycles involved during operation are memory read, memory write.	Cycles involved during operation are IO read and IO write in the case of IO mapped IO.
5.	Registers communicating	Any register can communicate with I/O device.	Only accumulator can communicate with IO devices.
6.	Space involved	2 ¹⁶ I/O parts are possible to be used for interfacing.	any 2 ⁸ i.e. 256 IO parts are available.
7.	IO/M signal	During writing for read cycle $(IO/\overline{M} = 0)$.	During writing or read cycle $(IO/\overline{M} = 1).$
8.	Control signal	No separate control signal required since we have unified memory space.	Special control signal's are used.

End of Solution

Q.5 (d) A coil of 300 V Moving Iron Voltmeter has a resistance of 500 ohms and an inductance of 0.8 H. The instrument reads correctly at 50 Hz AC supply and takes 100 mA at full scale deflection. What is the percentage error in the instrument reading, when it is connected to 200 V DC supply?

[12 marks : 2022]


Solution:

 $V_f = 300 \, \text{V}$ Full scale of voltage voltmeter, Resistance of voltmeter, $R_{v} = 500 \,\Omega$ $L = 0.8 \, \text{H}$ Inductance.

Full scale deflection current, $I_f = 100 \text{ mA}, i.e 0.1 \text{ A}$

Frequency of ac supply, $f = 50 \,\mathrm{Hz}$ DC supply voltage, $V_s = 200 \, \text{V}$

Let ' R_s ' be the series multiplier resistance



 $X_L = 2\pi f L \Omega$

 $X_t = 80\pi \Omega$


 $|Z| = 3000 \,\Omega$ Impedance offered,

Electrical Engineering

PAPER-I

$$\Rightarrow$$
 $\sqrt{(R_s + R_v)^2 + X_L^2} = 3000 \Omega$
 \Rightarrow $(R_s + R_v)^2 + (80\pi)^2 = 3000^2$
 \Rightarrow $R_s = 2489.454 \Omega$

For 200 V dc supply, the inductor will act as short circuit so, the voltage measured by the voltmeter i.e. V_0 is




$$V_0 = V_s \times \frac{R_v}{R_v + R_s}$$
 [By voltage division rule]

$$\Rightarrow V_0 = 200 \times \frac{500}{500 + 2489.454} = 33.451 \text{ V}$$

But, the actual value across the voltmeter should be,

$$V_{02} = V_{S} \times \frac{\sqrt{R_{V}^{2} + X_{L}^{2}}}{|Z|}$$



(By voltage division rule)

⇒
$$V_{02} = 200 \times \frac{\sqrt{500^2 + (80\pi)^2}}{3000}$$
⇒ $V_{02} = 37.307 \text{ V}$

$$\Rightarrow V_{02} = 37.307 \,\mathrm{V}$$

So, the error is,
$$\epsilon \ = \ \frac{V_0 - V_{02}}{V_{02}}$$

i.e.,
$$\epsilon = \frac{\text{Measurable value - True value}}{\text{True value}}$$

$$\begin{array}{ll} \Rightarrow & \qquad \qquad \epsilon = -0.10337 \\ \text{Error in percentage,} & \qquad \epsilon_{\text{10}} = \epsilon \times 100\% \end{array}$$


 $\varepsilon_{\%} = -10.337\%$

End of Solution



GATE 2023 TEST SERIES Streams: CE, ME, EE, EC, CS, IN, PI, CH

Tests are live



Available on android, iOS (Desktop & Laptop)



Q Queries: 9021300500

queryots@madeeasy.in


Enroll now www.madeeasy.in



Electrical Engineering

PAPER-I


Q.5 (e) Find the currents through diodes D_1 and D_2 and the voltage across resistor R_4 in the figure shown. Assume forward voltage drop of 0.7 V for each diode.



[12 marks : 2022]

Solution:

Consider diode D_1 on and diode D_2 off, hence the circuit diagram becomes,



Current I_1 flows through diode D_1 , equation becomes,

$$-20 + 10k \times I_1 + 0.7 + 20k \times I_1 = 0$$

 $I_1 = 0.64 \text{ mA}$...(i)

Current I_2 flows through R, and R_2

$$-20 + I_2 \times (20k + 10k) = 0$$

$$I_2 = \frac{20}{30k} = 0.67 \text{ mA}$$
 ..(iii)

Voltage,

$$V_1 = I_1 \times 20 \text{ k}$$

= 12.87 V

$$V_2 = I_2 \times 10 \text{ k} = 6.67 V_1$$

As $V_1 > V_2$, hence our assumption is correct, D_1 is on and D_2 is off

Current through D_1 ,

$$I_1 = 0.64 \, \text{mA}$$

Current through D_2 ,

Voltage drop across resistor $R_4 = I_1 \times 20 \text{ k}$

= 12.87 V

Electrical Engineering

PAPER-I

Q.6 (a) Calculate the value of contact potential and the total width of the depletion region under unbiased condition of an abrupt silicon P-N junction at 300° K. The intrinsic carrier concentration of silicon is 1.7 × 10¹⁶ atoms/m³ and its relative permittivity is 11.8. The junction has acceptor density $N_A = 10^{22}$ atoms/m³ on *P*-side and donor density of $N_D = 10^{20}$ atoms/m³ on *n*-side.

Derive the equation used for calculation.

Boltzmann's constant = $1.381 \times 10^{-23} \text{ J/°K}$

Electron charge = 1.602×10^{-19} C

[20 marks : 2022]

Solution:

The contact potential of the P-N junction is

$$V_{\text{contact}} = \frac{KT}{q} \ln \left(\frac{N_A N_D}{nq^2} \right)$$

$$V_{\text{contact}} = \frac{1.381 \times 10^{-23} \times 300}{1.602 \times 10^{-19}} \ln \left(\frac{10^{22} \times 10^{20}}{(1.7 \times 10^{16})^2} \right)$$

$$V_{\text{contact}} = \frac{1.381 \times 10^{-23} \times 300}{1.602 \times 10^{-19}} \ln \left(\frac{10^{42}}{(1.7)^2 10^{32}} \right)$$

$$= 258.6 \times 10^{-4} \ln \left(\frac{10^{10}}{(1.7)^2} \right)$$

$$= 21.96 \times 258.6 \times 10^{-4} = 0.568 \text{ V}$$

Width of deplection region,

$$W = \sqrt{\frac{2 \in_{r} \in_{0} V_{\text{contact}}}{q} \left(\frac{1}{N_{A}} + \frac{1}{N_{D}}\right)}$$

$$= \sqrt{\frac{2 \times 11 \times 8.85 \times 10^{-12} \times 0.568}{1.6 \times 10^{-19}} \left(\frac{1}{10^{22}} + \frac{1}{10^{20}}\right)}$$

$$= \sqrt{69.1185 \times 10^{7} \left(\frac{1.01}{10^{20}}\right)}$$

$$= \sqrt{69.8096 \times 10^{-13}}$$


$$W = 2.642 \times 10^{-6} \text{ m}$$

Q.6 (b) Draw the circuit diagram and explain the operation of a practical Q-meter and write its applications.

[20 marks : 2022]

Solution:

Circuit diagram:



Working principle:


This meter is based on the principle of series resonance. Under series resonance,

Inductive reactance, X_L = capacitive reactance, X_C

$$I = \frac{V}{R}$$

Quality factor,

$$Q = \frac{X_L}{R} = \frac{X_C}{R}$$



Voltage across capacitor,

$$\begin{split} V_C &= I X_C \\ &= \frac{V}{R} X_C = V \cdot \frac{X_C}{R} = V \cdot Q \\ V_C &= V \cdot Q \\ V_C &\propto Q \end{split}$$

Voltage across capacitor is directly proportional to quality factor of the meter. Hence this meter is also called voltage magnifier. By varying the capacitance 'C' the circuit is resonated and the voltage across capacitor is measured by voltmeter which is calibrated in terms of quality factor of the coil.

Application:

1. Measurement of Q of test coil:

Test coil is connected between T_1 and T_2 and by varying 'C' circuit is resonated. For reducing error, $R_{\rm sh}$ must be of low value (in m Ω range)

$$Q_T$$
(true value) = $\frac{\omega L}{R}$

Electrical Engineering

PAPER-I

$$Q_{\rm m}$$
 (increased value) = $\frac{\omega L}{R + R_{sh}} = \frac{Q_T}{\left(1 + \frac{R_{sh}}{R}\right)}$

$$Q_T = Q_m \left(1 + \frac{R_{sh}}{R} \right)$$

:: For $Q_T \approx Q_m \Rightarrow R_{\rm sh}$ should be low

2. Measurement of unknown capacitance:

Test capacitance, C_T is connected between terminals T_3 and T_4 . By varying C to value C_1 , the circuit is resonated.

Again varying C to a new value C_2 , new value of $V_C = V_1$ is calculated

$$C \to C_1, \qquad \qquad f = \frac{1}{2\pi\sqrt{L(C_1 + C_T)}}$$

$$C \to C_2, \qquad \qquad f = \frac{1}{2\pi\sqrt{LC_2}}$$

Both frequency are same,

$$\frac{1}{2\pi\sqrt{L(C_1+C_T)}} = \frac{1}{2\pi\sqrt{LC_2}}$$

$$\vdots \qquad \qquad C_2 = C_1 + C_T$$

$$C_T = C_2 - C_1$$

$$\vdots \qquad \qquad C_1 = \text{with } C_T$$

$$C_2 = \text{without } C_T$$

$$C_T = \text{test capacitance}$$

3. Q-meter is used to calculated self or distributed capacitance of the coil

Distributed capacitance,
$$C_d = \frac{C_1 - n^2 C_2}{(n^2 - 1)}$$

 $n = \frac{f_2}{f_1}$ ∵where,

 $f_2 \rightarrow$ frequency calculated when $C \rightarrow C_2$

 $f_1 \rightarrow$ frequency calculated with $C \rightarrow C_1$

4. Q-meter is used in communication application and self inductance of the coil.



ESE 2023 Preliminary Exam Online Test Series

TOTAL

34 Tests


Newly Designed

2206 Quality
Questions

Key Features:



Newly designed quality questions as per standard of ESE



Error free comprehensive solutions.

Comprehensive and detailed analysis report of test performance

Including tests of Paper-I (General Studies & Engineering Aptitude) and Paper-II (Technical syllabus)

(1) All India Ranking

Available on android, iOS (Desktop & Laptop)

Streams Offered : CE, ME, EE, E&T


Admission Open | Tests are live



Electrical Engineering


PAPER-I

Q.6 (c) (i) Minimize the combinational logic shown in figure.




[10 marks : 2022]


Solution:



For A ON gate

For OR gate






Electrical Engineering

PAPER-I

For diagram,

$$\begin{aligned} Y_1 &= A \bar{B} \bar{C} \,, \\ Y_2 &= A B \bar{C} \bar{D} \,, \\ Y_3 &= \bar{A} \bar{B} \bar{C} \bar{D} \\ Y_4 &= \bar{A} \bar{B} \bar{C} \bar{D} \\ X &= Y_1 + Y_2 + Y_3 + Y_4 \\ X &= A \bar{B} \bar{C} + A \bar{B} \bar{C} \bar{D} + \bar{A} \bar{B} \bar{C} \bar{D} + \bar{A} \bar{B} \bar{C} \bar{D} \end{aligned}$$

Realizing K-map



End of Solution

Q.6 (c) (ii) A machine has 32 bit Architecture, with 1 word long instruction. It has 64 registers each of which is 32 bits long. It needs to support 48 instructions which have an immediate operand in addition to two register operands. If the immediate operand is an unsigned integer, find the maximum value of the immediate operand.


[10 marks: 2022]

Solution:

Word size =
$$32 \text{ bit}$$

Instruction size = $1 \text{ W} = 32 \text{ bit}$

Instruction format



Immediate field size = 14 bit

So unsigned data range is

 $\{0 \text{ to } (2^{14} - 1)\}$

{0 to 16383}


So, max value is 16383



Electrical Engineering

PAPER-I

Find the circulating current in the circuit shown below operated at a room Q.7 (a) (i) temperature of 27° C, if the source voltage $V_S = 1.2 + 0.5 \sin 500t$ Volts. Assume $\eta V_T = 50$ mV and $V_{ON} = 0.7$ volts. Neglect contact resistance.



[8 marks: 2022]


Solution:

Given,

$$V_s = \underbrace{1.2}_{DC \text{ component}} + \underbrace{0.5 \sin 500 t}_{AC \text{ component of supply}} \text{Volts}$$

For DC component,

$$V_1 = 1.2 \, \text{Volt}$$



Current due to DC component of supply,

$$I_{D1} = \frac{V_1 - V_{ON}}{R_I} = \frac{1.2 - 0.7}{200} = 2.5 \text{ mA}$$


For AC component of supply,

$$V_2 = 0.5 \sin 500t \text{ Volt}$$

Dynamic AC resistance of diode is given as,

$$r_d = \frac{nV_T}{I_D} = \frac{50 \times 10^{-3}}{2.5 \times 10^{-3}} = 20 \ \Omega$$

Here, we will replace the diode with its equivalent resistance for AC supply



$$I_{D_2} = \frac{V_2}{r_d + R_L} = \frac{0.5 \sin 500t}{220} = 2.27 \sin 500t \,\text{mA}$$


Therefore, circulating current i_D is given as

$$i_D = I_{D_1} + I_{D_2} = (2.5 + 2.27\sin 500t) \,\text{mA}$$

Electrical Engineering

PAPER-I

(a) (ii) Find V_{GS} , I_D , V_{DS} and the AC output voltage of the E-MOSFET amplifier shown in the figure for an input of 25 m volts. The device parameters are $I_{D_{ON}}$ = 18 mA at V_{GS} = 10 Volts, $V_{GS_{(th)}}$ = 2.5 Volts and g_m = 23 mS.



[12 marks : 2022]

Solution:


From the given conditions:

$$I_{D_{\rm ON}}$$
 = 18 mA at V_{GS} = 10 V and $V_{GS({\rm th})}$ = 2.5 V

As we know,

$$\begin{split} I_{D_{\text{ON}}} &= K_n \Big[V_{\text{GS}} - V_{\text{GS}_{\text{(th)}}} \Big]^2 \,, \qquad \text{When } K_n = \frac{\mu_n C_{\text{Ox}}}{2} \bigg(\frac{W}{L} \bigg) \\ 18 &= K_n [10 - 2.5]^2 \\ K_n &= 0.25 \, \text{mA/V} \end{split}$$

Now, DC equivalent circuit of given amplifier



Apply voltage division at gate terminal

$$V_G = \frac{R_2}{R_1 + R_2} V_{DD} = \frac{6.8}{18 + 6.8} \times 20 = 5.48 \text{ Volt}$$

Therefore,

$$V_{GS} = V_G - V_S = 5.48 - 0 = 5.48 \text{ Volt}$$

Now, drain current (I_D) can be obtained as

$$I_D = K_n \left[V_{GS} - V_{GS(th)} \right]^2$$

Electrical Engineering

PAPER-I

$$I_D = 0.32 [5.48 - 2.5]^2 = 2.84 \text{ mA}$$

Therefore,

$$V_{DS} = V_{DD} - I_D R_D$$

$$V_{DS} = 20 - 2.84 \times 3.3 = 10.628 \text{ Volt}$$

Now, AC analysis:

Replacing the MOSFET by its AC equivalent circuit,

Capacitance → Short circuit


DC supply → Disabled

Since,

$$V_A = \infty$$

 \Rightarrow

$$r_0 = \infty$$



$$V_0 = -g_m V_{gs}(R_D \parallel R_L)$$

$$\frac{V_0}{V_i} = -g_m(R_D \parallel R_L)$$

$$\left[\because V_{\mathsf{in}} = V_{\mathcal{G}^{\mathcal{S}}}\right]$$

Therefore AC output voltage,

$$V_0 = -23 \times 10^{-3} \times [3.3 \parallel 10] \times 10^3 \times 25 \times 10^{-3}$$

= 1.426 Volt

End of Solution

- Q.7 (b) (i) A Standard Cell of 1.0186 volts used with a conventional slide wire potentiometer balances at 45 cm. Calculate
 - the emf of the cell which balances at 65 cm and
 - the percentage error in voltmeter which balances at 57 cm when reading 1.27 volts.

[10 marks: 2022]

Solution:

Given,

$$E_1 = 1.0186 \text{ V} \text{ and } l_1 = 45 \text{ cm}$$

(a) Let the emf of cell is E_2 which balances at I_2 = 65 cm,

As we know, from the potentiometer relation,

$$E \propto i$$

Therefore,

$$\frac{E_2}{E_1} = \frac{l_2}{l_1}$$



Electrical Engineering

PAPER-I

$$E_2 = \frac{65}{45} \times 1.0186 = 1.4713 \text{ Volt}$$

Therefore emf of cell is 1.4713 volt.

(b) Again let the cell emf is E_3 which balances at $I_3 = 57$ cm

Therefore.

$$E_3 = \frac{l_3}{l_1} \times E_1$$

$$E_3 = \frac{57}{45} \times 1.0186 = 1.2902 \text{ Volt}$$

Percentage error in voltmeter = $\frac{1.27 - 1.2902}{1.2902} \times 100 = -1.5677\%$

End of Solution

Q.7 (b) (ii) A moving coil instrument is designed to give a full scale reading of 30 mA and the corresponding drop across is 72 mV. Calculate the shunt resistance required for full scale deflection corresponding to 10 Amps and the series resistance for full scale reading with 400 V.

[10 marks : 2022]

Solution:

Given,

$$I_{fSD} = 30 \text{ mA},$$

 $V = 72 \text{ mV}$

Corresponding voltage drop,

$$V = 72 \,\mathrm{mV}$$

Internal resistance of meter,

$$R_m = \frac{V}{I_{fSD}}$$

$$R_m = \frac{72}{30} = 2.4 \Omega$$

Now given,

$$I = 10 \, \text{A}$$

Therefore,

multiplying factor,
$$M = \frac{I}{I_{fSD}} = \frac{10 \times 10^3}{30} = \frac{1000}{3}$$

To read the given meter I = 10 A at full scale deflection, the shunt resistance to be added in parallel is given as

$$R_{\rm sh} = \frac{R_m}{m-1} = \frac{2.4}{\frac{1000}{3} - 1} = 7.2216 \,\mathrm{M}\Omega$$

Similarly to read the given meter,

$$V = 400 \, \text{V}$$

At full scale deflection,

$$M = \frac{V}{V_{fSD}} = \frac{400}{72 \times 10^{-3}} = 5555.555$$

Multiplication factor,

To read the given meter, V = 400 V at full scale deflection,

The required series multiplier resistance is given as

$$R_{\text{se}} = R_m(m-1)$$

= 2.4[5555.55 - 1] = 13.33 k Ω





FOUNDATION COURSE

GATE 2023 ESE 2023 + GATE 2023

KEY FEATURES

- Classes by experienced & renowned faculties.
- Systematic subject sequence & timely completion.
- Comprehensive & updated books.
- **Solution** Efficient teaching with comprehensive coverage.
- Regular performance assessment through class tests.
- Face to face interaction for doubts.
- Concept practice through workbook solving.
- Exam oriented learning ecosystem.
- Proper notes making & study concentration in class.

Regular Batches Commencement Dates			
♥ Delhi: • 30 th June, 2022 : CE • 28 th June, 2022 : ME • 28 th June, 2022 : EE • 28 th June, 2022 : EC • 7 th July, 2022 : CS			
Ø Patna: 21 st June, 2022	ॐ Lucknow : 23 rd June, 2022	ூ Hyderabad : 27 th June, 2022	Shopal: 7 th June, 2022
8 Bhubaneswar : 26 th May, 2022	⋖ Jaipur: 15 th June, 2022	ॐ Kolkata : 2 nd July, 2022	ॐ Pune : 2 nd July, 2022

Electrical Engineering

PAPER-I

Q.7 (c) (i) What are the functions of Data link layer and Network layer according to ISO-OSI-7 layer Network Architecture.

[12 marks : 2022]

Solution:

- The ISO-OSI is a 7 layer architecture for implementing the network system.
- The 7 layer are application, presentation, session, transport, network, data link, physical. The functions of data link layer and network layer are as follows:
- 1. Data link layer:
 - ensures **node to node** delivery of messages
 - error correction
 - division of data into frames on sending side and recombination of frames on receiving side.
 - access control through MAC ID identification of device.
 - Physical addressing after creating frames, data link layer adds physical address to header.

2. Network layer:

- **Routing**: determines the route for data from sender to receiver.
- Logical addressing: in order to identify various devices on the networks.
- Ensures transmission of data across networks.
- Sender and receivers IP address added to header by network layer.

End of Solution

Q.7 (c) (ii) If the signal speed in the cable is 2×10^5 km/sec find the maximum length of cable required to transmit the data at a rate of 600 Mbps in an Ethernet LAN with frame size of 12000 bits.

[8 marks : 2022]

Solution:

For ethernet cable if V is velocity of signal, L is length of frame and BW is bandwidth and d is length of cable.

They are related as follows:

$$d \le \frac{L \times V}{2 \times BW}$$

$$d \le \frac{12000 \times 2 \times 10^5 \text{ km/s}}{2 \times 600 \times 10^6} \le 2 \text{ km}$$

So.


So maximum cable length can be 2 km.

- Q.8 (a) The JFET circuit shown in the figure is operating in the mid frequency range. Identify the type of feedback.
 - Draw the mid frequency small signal model indicating the output, input, feedback points and the closed loop feedback block diagram indicating the forward gain and feedback factor.
 - (ii) Write the equation for gain without feedback and with feedback.



PAPER-I Electrical Engineering

(iii) Calculate the amplifier gain with and without feedback if R_1 = 80 k Ω ,



[2 + 6 + 6 + 6 = 20 marks : 2022]

Solution:

Voltage divider network of R_1 and R_2 result in feedback Feedback network is connected to O/P node ⇒ Voltage sampling It is not connected to I/P node ⇒ Series mixing

.. Voltage series feedback is present

(i)
$$-V_{f} = \frac{V_{0}R_{2}}{R_{1} + R_{2}}$$

$$\frac{V_{f}}{V_{0}} = \beta = \frac{-R_{2}}{R_{1} + R_{2}}$$


$$V_{s} = V_{gs}$$


$$V_{gs} = V_{gs}$$

Block diagram for voltage series feedback,

Electrical Engineering

PAPER-I







(ii) Gain without feedback

Drawing circuit without feedback

- (a) To draw input circuit, ground O/P node
 - \Rightarrow $R_{\rm 1}$ and $R_{\rm 2}$ appear in parallel between node x and ground





- (b) To draw output circuit, break input loop
 - \Rightarrow R_1 and R_2 appear in series between drain and ground



Electrical Engineering

PAPER-I





$$A_{v} = \frac{V_{0}}{V_{S}} = \frac{-g_{m}V_{gs}(R \parallel R_{0} \parallel R_{D})}{V_{gs}}$$

$$A_{v} = -g_{m}V_{qs}(R \parallel R_{0} \parallel R_{D}),$$

$$R = R_1 + R_2$$

Voltage gain with feedback

(iii)

$$A_{vf} = \frac{A_v}{1 + \beta A_v}$$

$$\beta = \frac{-R_2}{R_1 + R_2}$$

$$\beta = \frac{-R_2}{R_1 + R_2} = \frac{-20}{80 + 20} = -0.2$$

$$A_{v} = -g_{m}(R \parallel R_{0} \parallel R_{D}),$$

$$R = R_* + R_0 = 100 \text{ k}\Omega$$

$$R = R_1 + R_2 = 100 \text{ k}\Omega$$

 $A_v = -5.5 (100 \mid \mid 25 \mid \mid 5)$
 $A_v = -22$

$$A_{11} = -22$$

$$A_{vf} = \frac{A_v}{1 + \beta A_v} = \frac{-22}{1 + (-0.2)(-22)}$$

$$A_{vf} = -4.07$$





FOUNDATION COURSE

GATE 2023

ESE 2023 + GATE 2023

KEY FEATURES

- Teaching pedagogy similar to offline classes.
- Interaction and doubt chat with subject experts.
- Concept of problem solving through workbooks.
- Convenience and flexibility of 24*7 learning.
- Comprehensive & updated theory & practice books.
- Systematic subject sequence.
- Time bound syllabus completion.
- User-friendly and intuitive learner interface.
- Regular assessment through tests & quizzes.

New batches commencing from 30th June, 2022

Morning Batches (8:00 AM - 2:00 PM)

(Hinglish)

(Hinglish)

Evening Batches (2:30 PM - 10:00 PM)

CE, ME, EE, EC, CH (Hinglish)

CE, ME, EE, EC, CS, IN (English)

Download the App



Android




iOS

Electrical Engineering PAPER-I

- Q.8 (b) (i) A solenoid of length I and radius a consists of N turns wire carrying current I. Derive an expression for H at point P along its axis. Also find expression for H if l >> a.
 - (ii) Show that the capacitor of figure (a) has capacitance

$$C_{\text{eq}} = \frac{\epsilon_0 \epsilon r_1 A_1}{d} + \frac{\epsilon_0 \epsilon r_2 A_2}{d}$$
 and capacitor of figure (b) has reciprocal


capacitance
$$\frac{1}{C_{eq}} = \frac{1}{\underbrace{\epsilon_0 \in \mathit{r}_1 A}_{d_1}} + \frac{1}{\underbrace{\epsilon_0 \in \mathit{r}_2 A}_{d_2}} = \frac{1}{C_1} + \frac{1}{C_2} \,.$$



[10 + 10 marks : 2022]

Solution:

(i) Consider the cross-section of the solenoid as shown in figure,



Since the solenoid consists of circular loops, therefore the contribution to the magnetic field H at point P by an element of the solenoid of length dz is

$$dH_z = \frac{I \, dla^2}{2[a^2 + z^2]^{3/2}} = \frac{I a^2 n dz}{2[a^2 + z^2]^{3/2}}$$

Where,

$$dl = ndz = \left(\frac{N}{l}\right)dz$$

From the figure,

$$\tan \theta = \frac{a}{z}$$

٠.


$$dZ = -a \operatorname{cosec}^2 \theta \ d\theta = \frac{-[z^2 + a^2]^{3/2}}{d^2} \sin \theta \cdot d\theta$$

Electrical Engineering

PAPER-I

 $dH_z = \frac{-nI}{2}\sin\theta d\theta$ Therefore, $H_{z} = \frac{-nI}{2} \int_{\theta_{z}}^{\theta_{2}} \sin\theta \, d\theta$ $\vec{H} = \frac{nI}{2}(\cos\theta_2 - \cos\theta_1)\hat{a}_z$ $n = \frac{N}{I}$, gives Substituting, $\vec{H} = \frac{NI}{2l}(\cos\theta_2 - \cos\theta_1)\hat{a}_z$ $\theta_2 \approx 0^{\circ}$ $\theta_1 \approx 180^{\circ}$ If l > a or and $\vec{H} = \frac{NI}{I}\hat{a}_z$

(ii) Since flux density is continuous is continuous and \vec{E} is discontinuous therefore given configuration is two parallel connected capacitors



 $C_1 = \frac{\varepsilon_0 \cdot \varepsilon_{r1} A_1}{d}$


 $C_2 = \frac{\varepsilon_0 \cdot \varepsilon_{r2} A_2}{d}$

and

When two capacitor are connected in parallel then equivalent capacitance is given as

$$C_{\text{eq}} = C_1 + C_2 = \frac{\varepsilon_0 \cdot \varepsilon_{r1} A_1}{d} + \frac{\varepsilon_0 \cdot \varepsilon_{r2} A_2}{d}$$

From figure (b) as power the result needed, given capacitors must be connected in series, so we are providing solution accordingly,



Electrical Engineering

PAPER-I

Where,
$$C_1 = \frac{\varepsilon_0 \cdot \varepsilon_{r1} A}{d_1}$$
 and
$$C_2 = \frac{\varepsilon_0 \cdot \varepsilon_{r2} A}{d_2}$$

$$V = V_1 + V_2$$

$$= \frac{Q}{C_1} + \frac{Q}{C_2}$$

$$\frac{V}{Q} = \frac{1}{C_1} + \frac{1}{C_2}$$

$$\frac{1}{C_{eq}} = \frac{1}{C_1} + \frac{1}{C_2} = \frac{1}{\underbrace{\varepsilon_0 \varepsilon_{r_1} A}} + \underbrace{\frac{1}{\varepsilon_0 \varepsilon_{r_2} A}}_{d_2}$$

End of Solution

Find the general solution of the partial differential equation **Q.8** (c) (i)

$$\frac{\partial^3 Z}{\partial x^3} - 2 \frac{\partial^3 Z}{\partial x^2 \partial y} = 9(e^{3x} + 10xy^2).$$

Find the root of $xe^x - 1 = 0$ correct to four decimal places by the Newton-Raphson method starting with $x_0 = 0.6$.

[10 + 10 marks : 2022]

Solution:

(i) Given,
$$\frac{\partial^3 Z}{\partial x^3} - \frac{2\partial^3 Z}{\partial x^2 \partial y} = 9(e^{3x} + 10xy^2)$$

$$D^3 - 2D^2D^7 = 9(e^{3x} + 10xy^2)$$

$$\Rightarrow \text{Auxillary equation,}$$

$$m^3 - 2m^2 = 0$$

$$\Rightarrow m^2(m - 2) = 0$$

$$\Rightarrow m = 0, 0, 2$$
So,
$$CF = F_1(y) + xF_2(y) + F_3(y + 2x)$$

$$PI_1 = \frac{9e^{3x}}{D^3 - 2D^2D^7}$$
Here,
$$D = 3 \text{ and } D^7 = 0$$

$$PI_1 = \frac{1}{3}e^{3x}$$

 $\Rightarrow \text{For} \qquad PI_2 = \frac{90xy^2}{D^3 - 2D^2D'}$

Electrical Engineering

PAPER-I

$$\Rightarrow PI_{2} = \frac{90xy^{2}}{D^{3}\left(1 - \frac{2D'}{D}\right)}$$

$$PI_{2} = 90\frac{1}{D^{3}}\left[1 + \frac{2D'}{D}\right]x^{2}y$$

$$= \frac{90}{D^{3}}\left[x^{2}y + \frac{2(x^{2})}{D}\right] = \frac{90}{D^{3}}\left[x^{2}y + \frac{2x^{3}}{3}\right]$$

$$= \frac{90}{D^{2}}\left[\frac{x^{3}y}{3} + \frac{2x^{4}}{12}\right] = \frac{90}{D}\left[\frac{x^{4}y}{12} + \frac{2x^{5}}{60}\right]$$

$$PI_{2} = 90\left[\frac{x^{5}y}{60} + \frac{2x^{6}}{360}\right]$$

$$\Rightarrow PI_{2} = \frac{3x^{5}y}{2} + \frac{x^{6}}{2}$$

$$\Rightarrow PI_{2} = \frac{1}{2}\left[3x^{5}y + x^{6}\right]$$
So,
$$z = f_{1}(y) + xf_{2}(y) + f_{3}(y + 2x) + \frac{1}{3}e^{3x} + \frac{1}{2}\left[3x^{5}y + x^{6}\right]$$

Equation, $f(x) = xe^x - 1 = 0$ (ii) Given, $x_0 = 0.6$

For Newton-Raphson method,

So,
$$x_{n+1} = x_n - \frac{f(x_n)}{f'(x_n)}$$

$$x_1 = x_0 - \frac{f(x_0)}{f'(x_0)}$$

$$x_2 = x_1 - \frac{f(x_0)}{f'(x_0)}$$

$$x_2 = x_1 - \frac{f(x_0)}{f'(x_0)}$$

$$x_2 = 0.56714$$
Similarly,
$$x_3 = x_2 - \frac{f(x_0)}{f'(x_0)}$$

$$x_3 = 0.56714$$

Hence, the root of the equation correct upto 4 digit is 0.567.

