



**GATE  
2025**

# Mechanical Engineering

**Questions & Solutions**

**Exam held on  
02/02/2025 (Forenoon Session)**



**SECTION - A****GENERAL APTITUDE**

**Q.1** Fish : Shoal :: Lion : \_\_\_\_\_

Select the correct option to complete the analogy.

- (a) Pride (b) School  
(c) Forest (d) Series

**Ans. (a)**

End of Solution

**Q.2** Identify the grammatically correct sentence:

- (a) It is I who am responsible for this fiasco.  
(b) It is myself who is responsible for this fiasco.  
(c) It is I who is responsible for this fiasco.  
(d) It is I who are responsible for this fiasco.

**Ans. (a)**

End of Solution

**Q.3** Two cars, P and Q, start from a point X in India at 10 AM. Car P travels North with a speed of 25 km/h and car Q travels East with a speed of 30 km/h. Car P travels continuously but car Q stops for some time after travelling for one hour. If both the cars are at the same distance from X at 11:30 AM, for how long (in minutes) did car Q stop?

- (a) 10 (b) 12  
(c) 15 (d) 18

**Ans. (c)**

End of Solution

**Q.4** The ceiling function of a real number  $x$ , denoted by  $ce(x)$ , is defined as the smallest integer that is greater than or equal to  $x$ . Similarly, the floor function, denoted by  $fl(x)$ , is defined as the largest integer that is smaller than or equal to  $x$ . Which one of the following statements is NOT correct for all possible values of  $x$ ?

- (a)  $ce(x) \geq x$  (b)  $fl(x) \leq x$   
(c)  $ce(x) \geq fl(x)$  (d)  $fl(x) < ce(x)$

**Ans. (d)**

End of Solution

**Q.5** P and Q play chess frequently against each other. Of these matches, P has won 80% of the matches, drawn 15% of the matches and lost 5% of the matches. If they play 3 more matches, what is the probability of P winning exactly 2 of these 3 matches?

- (a)  $\frac{48}{125}$  (b)  $\frac{16}{125}$

(c)  $\frac{16}{25}$

(d)  $\frac{16}{48}$

**Ans. (a)**

**End of Solution**

**Q.6** Identify the option that has the most appropriate sequence such that a coherent paragraph is formed:

- P. At once, without thinking much, people rushed towards the city in hordes with the sole aim of grabbing as much gold as they could.
- Q. However, little did they realize about the impending hardships they would have to face on their way to the city: miles of mud, unfriendly forests, hungry beasts and inimical local lords – all of which would reduce their chances of getting gold to almost zero.
- R. All of them thought that easily they could lay their hands on gold and become wealthy overnight.
- S. About a hundred years ago, the news that gold had been discovered in Kolar spread like wildfire and the whole State was in raptures.
- (a)  $P \rightarrow Q \rightarrow R \rightarrow S$                       (b)  $Q \rightarrow S \rightarrow R \rightarrow P$
- (c)  $S \rightarrow Q \rightarrow P \rightarrow R$                       (d)  $S \rightarrow P \rightarrow R \rightarrow Q$

**Ans. (d)**

**End of Solution**

**Q.7** If HIDE and CAGE are coded as 19-23-7-11 and 5-2-17-11 respectively, then what is the code for HIGH?

- (a) 5-17-1-2                                      (b) 17-19-13-17
- (c) 13-3-1-2                                      (d) 19-23-17-19

**Ans. (d)**

H I D E  $\rightarrow$  19 23 7 11  
C A G E  $\rightarrow$  5 2 17 11


H I G H  $\rightarrow$  19 23 17 19

**End of Solution**

**Q.8** The given figure is reflected about the horizontal dashed line and then rotated clockwise by  $90^\circ$  about an axis perpendicular to the plane of the figure.

Which one of the following options correctly shows the resultant figure?

Note: The figures shown are representative.






# Check Your Expected Rank & GATE Score

*by*

**MADE EASY**  
**Rank Predictor**







**Ans. (b)**

**End of Solution**

**Q.9** Which one of the following options has the correct sequence of objects arranged in the increasing number of mirror lines (lines of symmetry)?

- (a) Circle; Square; Equilateral triangle; Isosceles triangle
- (b) Isosceles triangle; Equilateral triangle; Square; Circle
- (c) Equilateral triangle; Isosceles triangle; Square; Circle
- (d) Isosceles triangle; Square; Equilateral triangle; Circle


**Ans. (b)**

**End of Solution**

**Q.10** A final year student appears for placement interview in two companies, S and T. Based on her interview performance, she estimates the probability of receiving job offers from companies S and T to be 0.8 and 0.6, respectively. Let  $p$  be the probability that she receives job offers from both the companies. Select the most appropriate option.

- (a)  $0 \leq p \leq 0.2$
- (b)  $0.4 \leq p \leq 0.6$
- (c)  $0.4 \leq p \leq 0.4$
- (d)  $0.6 \leq p \leq 1.0$

**Ans. (b)**



**End of Solution**

■■■■

### SECTION - B

### TECHNICAL

**Q.11** Let A and B be real symmetric matrices of same size. Which one of the following options is correct?

- (a)  $A^T = A^{-1}$  (b)  $AB = BA$   
 (c)  $(AB)^T = B^T A^T$  (d)  $A = A^{-1}$

**Ans. (c)**

A and B are symmetrix

$A^T = A$ ,  $B^T = B$

End of Solution

**Q.12** For the differential equation given below, which one of the following options is correct?

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0, 0 \leq x \leq 1, 0 \leq y \leq 1$$

- (a)  $u = e^{x+y}$  is a solution for all x and y  
 (b)  $u = e^x \sin y$  is a solution for all x and y  
 (c)  $u = \sin x \sin y$  is a solution for all x and y  
 (d)  $u = \cos x \cos y$  is a solution for all x and y

**Ans. (b)**

$\nabla^2 U = 0 \Rightarrow$  Laplace equation

By option

$$u = e^x \sin y$$

$$\frac{d^2 U}{dx^2} = e^x \sin y$$

$$\frac{d^2 U}{dx^2} = e^x \sin y$$

$$\begin{aligned} \frac{d^2 U}{dx^2} + \frac{d^2 U}{dy^2} &= e^x \sin y + e^x (-\sin y) \\ &= 0 \end{aligned}$$

End of Solution

**Q.13** The divergence of the curl of a vector field is

- (a) the magnitude of this vector field  
 (b) the argument of this vector field  
 (c) the magnitude of the curl of this vector field  
 (d) Zero

**Ans. (d)**

End of Solution


**Q.14** If two unbiased coins are tossed, then what is the probability of having at least one head?

- (a) 0.25 (b) 0.5  
(c) 0.675 (d) 0.75

**Ans. (d)**

**End of Solution**


**Q.15** Let a spherical block of ice at  $-7^{\circ}\text{C}$  be exposed to atmospheric air at  $30^{\circ}\text{C}$  with the gravitational direction as shown in the figure below. What will be the overall direction of air flow in this situation?



- (a) Upward (b) Downward  
(c) No motion (d) Sideward

**Ans. (b)**

Air close to the Ice Ball will go in downward direction because of weight is more than Buoyant force because  $T_{\text{iceball}}$  is less.



**End of Solution**

**Q.16** Consider two identical tanks with a bottom hole of diameter  $d$ . One tank is filled with water and the other tank is filled with engine oil. The height of the fluid column  $h$  is same in both the cases. The fluid exit velocity in the two tanks are  $V_1$  and  $V_2$ . Neglecting all losses, which one of the following options is correct?





# Foundation Courses for

## ESE 2026

## GATE 2026



### Tablet Course

- Pre-loaded full fledged recorded course
- Android OS based 10.5 inch Samsung tablet
- Internet access does not required
- Classes by senior faculties
- Validity: 2 Years
- Learn at your own pace
- Tablet is reusable for normal purpose after validity expires



### Recorded Course

- Recorded Course
- Full fledged holistic preparation
- Classes by senior faculties
- Lectures can be watched anytime/anywhere
- Courses are accessible on PC & Mac desktops/laptops/android/iOS mobile devices.
- Learn at your own pace
- Validity: 1 year
- Internet connection required

### Teaching Hours

- ✓ **GATE Exclusive** • CE, ME, EE : 800 to 900 Hrs.  
• EC, IN, CS, CH : 650-700 Hrs.
- ✓ **GATE + ESE** • CE, ME, EE, EC : 1100 to 1200 Hrs.
- ✓ **GATE + SES-GS** • CE, ME, EE : 1150 to 1250 Hrs.  
• EC, IN, CS, CH : 950-1050 Hrs.
- ✓ **GATE + ESE + SES-GS** • CE, ME, EE, EC : 1450 to 1550 Hrs.

**Note :** State Engineering Services Examination.

- The course is offered with a validity options of 1 year and 2 years.

**Low Cost EMI Facility Available**

**Admissions open**

For online courses, download the MADE EASY PRIME app now



Android




iOS

**Delhi Centre :** 44-A/1, Kalu Sarai, Near Hauz Khas Metro Station, New Delhi-110016 • Ph: 9021300500

**MADE EASY Centres :** Delhi | Bhopal | Hyderabad | Jaipur | Kolkata | Pune

[www.madeeasyprime.com](http://www.madeeasyprime.com)

- Q.18** Air inside a rigid, thermally-insulated tank undergoes stirring as shown in the figure below. Which one of the following options is correct?




- (a) The enthalpy of the air increases while the entropy of the air remains constant
- (b) Both the enthalpy and the entropy of the air remain constant
- (c) Both the enthalpy and the entropy of the air increase
- (d) The enthalpy of the air decreases while the entropy of the air increases

**Ans. (c)**

**End of Solution**

- Q.19** In a psychrometric chart, one axis represents dry-bulb temperature. The axis, that is perpendicular to the dry-bulb temperature axis, represents
- (a) wet-bulb temperature
  - (b) specific humidity
  - (c) relative humidity
  - (d) enthalpy

**Ans. (b)**



**End of Solution**

- Q.20** Among the following surface hardening processes, steel is heated to the lowest temperature in
- (a) carburizing
  - (b) cyaniding
  - (c) nitriding
  - (d) carbonitriding

**Ans. (c)**

**End of Solution**

- Q.21** The welding process commonly used for fabricating tailor-welded blanks of dissimilar thickness for automotive applications is
- (a) gas welding (b) laser welding  
(c) arc welding (d) friction welding

**Ans. (b)**

End of Solution

- Q.22** The yield stress of a metal in uniaxial tension is 200 MPa. According to von Mises yield criterion, the yield stress (in MPa) of the metal in pure shear is closest to
- (a) 115.5 (b) 100.0  
(c) 66.7 (d) 141.4

**Ans. (a)**

$$S_{yt} = 200 \text{ MPa.}$$

$$S_{ys} = 0.577 S_{yt} = 115.4 \text{ MPa}$$

End of Solution

- Q.23** In computer aided design (CAD), solid models can be constructed using
- (a) boundary representation (B-rep) (b) Bezier curves  
(c) B-splines (d) nonuniform rational B-splines (NURBS)

**Ans. (a)**

End of Solution


- Q.24** Ceramics and glass are machined by
- (a) electric discharge machining (b) ultrasonic machining  
(c) electrochemical machining (d) transferred arc plasma machining

**Ans. (b)**

End of Solution


- Q.25** When assembled, the hole  $30^{+0.030}_{+0.000}$  mm and shaft  $30^{+0.020}_{-0.020}$  mm will result in
- (a) loose fit (b) interference fit  
(c) transition fit (d) clearance fit

**Ans. (c)**



End of Solution

- Q.26** A rigid circular disc of radius  $r$  (in m) is rolling without slipping on a flat surface as shown in the figure below. The angular velocity of the disc is  $\omega$  (in  $\text{rad s}^{-1}$ ). The velocities (in  $\text{m s}^{-1}$ ) at points O and A, respectively, are




- (a)  $r\omega \hat{i}$  and  $0 \hat{i}$                       (b)  $-r\omega \hat{i}$  and  $0 \hat{i}$   
 (c)  $-r\omega \hat{i}$  and  $-r\omega \hat{i}$                       (d)  $r\omega \hat{i}$  and  $r\omega \hat{i}$

**Ans. (a)**


End of Solution

- Q.27** A truss structure is loaded as shown in the figure below. Among the options given, which member in the truss is a zero-force member?



- (a) BD    (b) BC  
 (c) BA    (d) AD

**Ans. (a)**



End of Solution





# Conventional Questions Practice Programme for ESE Mains 2025

Offline

Live-Online

Admissions Open



Batches  
commenced  
from  
**24 FEB 2025**







Course includes  
**Mains Test Series (12 tests)**

Commencing from **15 June 2025**

Note : Solo Mains Test Series is also available.

This course is offered in offline mode at Delhi Centre.

## Key Features:

-  Classes by senior faculties
-  Comprehensive coverage
-  Discussion on important questions
-  Improvement of 'answer presentation'
-  Updated ESE Mains Workbooks
-  Mains Test Series is included

**Duration:** 300-350 Hrs | 80-90 days

**Timing :** 7 days/week | 4 hours/day

**Streams:** CE, ME, EE, E&T

**Fee:**

**₹18,000 + GST**  
For Outsiders

**₹14,000 + GST**  
For **MADE EASY Students**  
(Foundation, RIB and Mains Course)

**Fee is same  
for Offline & Live-online Batches**

• Test series is available at all MADE EASY Centres.


**Delhi Centre :** 44-A/1, Kalu Sarai, Near Hauz Khas Metro Station, New Delhi-110016 • Ph: 9021300500

**MADE EASY Centres :** Delhi | Bhopal | Hyderabad | Jaipur | Kolkata | Pune

 [www.madeeasy.in](http://www.madeeasy.in)

**Q.28** A metallic square plate is subjected to a uniform hydrostatic pressure ( $P$ ). Choose the correct Mohr's circle representing the state of stress at any point in the plate from the options given below.

For the Mohr's circle, normal stress is positive towards right and shear stress is positive in the upward direction.



**Ans. (b)**

Due to hydrostatic pressure, Mohr's circle becomes a point on -ve axis.

**End of Solution**

**Q.29** In the context of balancing of rotating and reciprocating masses, which one of the following options is true?

- (a) An unbalanced rigid rotor can be completely balanced using a single balancing mass
- (b) An unbalanced rigid rotor can be completely balanced using two balancing masses attached in two distinct planes
- (c) A single-cylinder internal combustion engine can be completely balanced using a single balancing mass
- (d) A single-cylinder internal combustion engine can be completely balanced using two balancing masses

**Ans. (b)**

**End of Solution**

**Q.30** A shaft carries a helical spur gear. Which one of the following bearings can NOT be used to support it?

- (a) Angular contact bearing
- (b) Double-row ball bearing
- (c) Straight roller bearing
- (d) Tapered roller bearing

**Ans. (c)**

In helical gears, straight roller bearing can't be used because it is suitable for only radial loads.

**End of Solution**

**Q.31** The values of a function  $f$  obtained for different values of  $x$  are shown in the table below.

$x$	0	0.25	0.5	0.75	1.0
$f(x)$	0.9	2.0	1.5	1.8	0.4

Using Simpson's one-third rule,

$$\int_0^1 f(x) dx \approx \text{_____} \quad [\text{Rounded off to 2 decimal places}]$$

**Ans.** (1.61 to 1.65)

$$\begin{aligned} \int_0^1 f(x) dx &= \frac{1}{3} [(y_0 + y_x) + 4(y_1 + y_3 + y_5 + \dots) + 2(y_2 + y_4 + y_6 + \dots)] \\ &= \frac{0.25}{3} [(0.9 + 0.9) + 4(2.0 + 1.8) + 2(1.5)] \\ &= \frac{1}{4 \times 3} [1.3 + 4 \times 3.8 + 3] = \frac{19.5}{12} = 1.625 \end{aligned}$$

**End of Solution**


**Q.32** The thermal efficiency of an ideal air-standard Otto cycle is 0.5. The value of specific heat ratio of air is 1.4. The compression ratio of the cycle is \_\_\_\_\_ (rounded off to 1 decimal place).

**Ans.** (5.5 to 5.9)

$$\begin{aligned} \text{Given,} \quad \eta_0 &= 1 - \frac{1}{r^{\gamma-1}} \\ 0.5 &= 1 - \frac{1}{(r)^{1.4-1}} \\ \frac{1}{r^{0.4}} &= 1 - 0.5 \\ r^{0.4} &= \frac{1}{0.5} = 2 \\ r &= (2)^{1/0.4} \\ r &= 2^{2.5} \\ r &= 5.6568 \end{aligned}$$

**End of Solution**

**Q.33** During a welding operation, thermal power of 2500 W is incident normally on a metallic surface. As shown in the figure below (figure is NOT to scale), the heated area is circular. Out of the incident power, 85% of the power is absorbed within a circle of radius 5 mm while 65% is absorbed within an inner concentric circle of radius 3 mm. The power density in the shaded area is \_\_\_\_\_  $\text{Wmm}^{-2}$  (rounded off to 2 decimal places).



**Ans. (9.92 to 9.98)**

Total incident heat is = 2500 W

5 m plate absorption = 85%

3 m plate absorption = 65%

Absorption by shaded area = (85 – 65)% = 20%

$$q_{\text{absorbed (shaded)}} = 2500 \times 0.20 = 500 \text{ W}$$

$$\text{Heat density} = \frac{500}{A_{\text{shaded}}} = \frac{500}{\pi(5^2 - 3^2)} = 9.947 \text{ W/mm}^2$$


**End of Solution**

**Q.34** A liquid metal is poured in a mold cavity of size 200 mm × 200 mm × 200 mm. The cooling is uniform in all directions with NO additional compensation for shrinkage. Considering the volumetric shrinkage during solidification and solid contraction as 7% and 8%, respectively, the length of the cube edge after cooling down to the room temperature is \_\_\_\_\_ mm (rounded off to 1 decimal place).


**Ans. (189.8 to 190)**

Volumetric solidification contraction = 7%

Volumetric solid contraction = 8%



200 mm



$$\text{Volume of casting} = (\text{Volume of liquid metal}) (1 - \text{Shrinkage})$$

$$= (200)^3 \times 0.93 \times 0.92$$

$$a^3 = 68,44,800 \text{ mm}^3$$

$$a = 189.868 \text{ mm}$$

**End of Solution**

**Q.35** A block of mass 1 kg connected to a spring of stiffness 10 N m<sup>-1</sup> is operating in a viscous medium such that the damping ratio (or damping factor) is equal to the ratio of the damped frequency to the natural frequency. The magnitude of the damping ratio for this system is \_\_\_\_\_ (rounded off to 2 decimal places).

Ans. (0.7 to 0.72)

$$\begin{aligned}\frac{\omega_d}{\omega_n} &= \xi \text{ (given)} \\ (\sqrt{1-\xi^2})\omega_n &= \omega_d \\ \frac{\sqrt{1-\xi^2} \cdot \omega_n}{\omega_n} &= \xi \\ \sqrt{1-\xi^2} &= \xi \\ 2\xi^2 &= 1 \\ \xi^2 &= \frac{1}{2} = 0.5 \\ \xi &= 0.707\end{aligned}$$

End of Solution


**Q.36** In the closed interval  $[0,3]$ , the minimum value of the function  $f$  given below is

$$f(x) = 2x^3 - 9x^2 + 12x$$

- (a) 0 (b) 4  
(c) 5 (d) 9

Ans. (a)

$$\begin{aligned}f(x) &= 2x^3 - 9x^2 + 12x \\ f'(x) &= 6x^2 - 18x + 12 = 6(x^2 - 3x + 2) = 0 \\ &= 6(x-1)(x-2) = 0 \\ x &= 1, x = 2; \quad f''(x) = 12x - 18 \\ f''(x)|_{x=1} &= 12 \times 1 - 18 = -6 < 0 \\ x &= 1 \text{ maxima point,} \\ f''(x)|_{x=2} &= 12 \times 2 - 18 = 6 > 0 \\ x &= 2 \text{ minima,} \quad f(x) = 2x^3 - 9x^2 + 12x \\ f(x)|_{x=0} &= 0 \\ f(x)|_{x=1} &= 2(1)^3 - 9(1)^2 + 12 \times 1 = 2 - 9 + 12 = 5 \\ f(x)|_{x=2} &= 2(2)^3 - 9(2)^2 + 12 \times 2 = 4 \\ f(x)|_{x=3} &= 2(3)^3 - 9(3)^2 + 12 \times 3 = 9\end{aligned}$$



So, minimum value = 0

End of Solution

# ESE 2025 Prelims

## Offline Test Series

Commencing from  
**9<sup>TH</sup> March, 2025**



## Total 22 Tests

### Paper-I : 11 Tests

#### GS & Engineering Aptitude

- 8 Multiple Subject Tests of 50 Questions (**400 Ques**)  
Time : 60 minutes
- +
- 2 Full Syllabus Tests of 100 Questions (**300 Ques**)  
Time : 120 minutes
- +
- **+ 1 Anubhav Test**  
Full Syllabus

### Paper-II : 11 Tests

#### Engineering Discipline

- 8 Multiple Subject Tests of 75 Questions (**600 Ques**)  
Time : 90 minutes
- +
- 2 Full Syllabus Tests of 150 Questions (**450 Ques**)  
Time : 180 minutes
- +
- **+ 1 Anubhav Test**  
Full Syllabus

Each question carries 2 marks

Negative marking = 2/3 marks



**Latest Pattern**

Tests are designed as per latest syllabus, trend and pattern of ESE. Paper-I (GS and Engineering aptitude) and Paper-II (Technical) both are covered.



**Care for Accuracy**

All care has been taken to ensure the highest level of accuracy.



**Cyclic Revision**

Dynamic test series for cyclic revision of subjects. Tests are time tabled with "New Topics" and "Repeat Topics" to maintain the continuity and a perfect balance between tech and non tech subjects.



**Quality Questions**

Quality Questions framed by experienced research and development team of MADE EASY.



**Illustrated Solutions**

Well explained, step-by-step illustrated solutions for easy understanding of aspirants..



**All India Rank**

Opportunity to evaluate yourself on All India Basis. Compare your performance with quality students of MADE EASY.

#### Fee Structure

**₹ 3,000 + GST**

Non-MADE EASY students

**₹ 2,000 + GST**

Ex. MADE EASY Students  
Enrolled in Postal or any long term/  
short term classroom course

**₹ 1,000 + GST**

If student opts  
this test in  
live-online mode

**Nil**

For Current Session  
Students Enrolled in  
ESE + GATE 2025 Batches.



Scan to Enroll

**Note:** Anubhav Tests are part of the ESE Offline Prelims 2025 test series.

For outside students Anubhav Tests are free of cost. It will be conducted at all our MADE EASY and NEXT IAS centres across India.

**Delhi Centre :** 44-A/1, Kalu Sarai, Near Hauz Khas Metro Station, New Delhi-110016 • Ph: 9021300500

**MADE EASY Centres :** Delhi | Bhopal | Hyderabad | Jaipur | Kolkata | Pune

Enroll [www.madeeasy.in](https://www.madeeasy.in)

**Q.37** Considering the actual demand and the forecast for a product given in the table below, the mean forecast error and the mean absolute deviation, respectively, are

Period	1	2	3	4	5	6	7	8	9	10
Actual demand	425	415	420	430	427	418	422	416	426	421
Forecast	427	422	416	422	423	420	419	418	430	415

- (a) 0.8 and 42.0                      (b) 0.8 and 4.2  
(c) 8.0 and 42.0                      (d) 8.0 and 4.2

Ans. (b)

<b>Period</b>	1	2	3	4	5	6	7	8	9	10
<b>Demand</b>	425	415	420	430	427	418	422	416	426	421
<b>Forecast</b>	427	422	416	422	423	420	419	418	430	415
<b>e<sub>i</sub></b>	-2	-7	4	8	4	-2	3	-2	-4	6

$$e_i = D_i - F_i$$

$$\sum |e_i| = 42$$

$$\text{MAD} = \frac{\sum |e_i|}{n} = \frac{42}{10} = 4.2 \quad [\text{where } n \text{ is number of period}]$$

$$\text{Mean forecast error (MFE)} = \frac{\sum(e_i)}{n} = \frac{8}{10} = 0.8$$

**End of Solution**

**Q.38** Match the mold elements in the casting process with the most suitable function

## Column 1

- P. Blind riser
- Q. Chill
- R. Skim bob
- S. Core
- T. Insulating sleeve
- U. Inoculant

- (a) P-II, Q-IV, R-V, S-I, T-VI, U-III  
(c) P-V, Q-I, R-VI, S-III, T-II, U-IV

## Column 2

- I. Casting with internal cavity
  - II. Molten metal reservoir
  - III. Nucleating agent
  - IV. Assisting in faster heat removal from melt
  - V. Removal of impurities
  - VI. Increasing the solidification time
- (b) P-II, Q-V, R-VI, S-I, T-III, U-IV
- (d) P-II, Q-IV, R-I, S-V, T-VI, U-III

Ans. (a)

**End of Solution**

**Q.39** Wire drawing operation is performed on a perfectly plastic metal without any strain hardening. Assuming no friction and no redundant work, the maximum possible percentage reduction in area in a single pass is closest to

- (a) 51.2                      (b) 63.2  
(c) 75.0                      (d) 93.2

Ans. (b)

$$\sigma_d = \sigma_o \ln \frac{A_o}{A_f}$$

For maximum possible reduction,  $\sigma_d = \sigma_o$

$$\therefore \frac{A_o}{A_f} = e$$

$$\frac{A_o - A_f}{A_o} = 1 - \frac{1}{e} = 0.632 \text{ or } 63.2\%$$

End of Solution

**Q.40** In relation to additive manufacturing, match the following

Process		Layer creation technique		Material	
P.	Stereolithography	1.	Injection of powder stream	I.	Paper
Q.	Fused deposition modeling	2.	Extrusion of melted polymer	II.	Epoxy
R.	Laminated object manufacturing	3.	Liquid layer curing	III.	Titanium
S.	Laser-engineered net shaping	4.	Sheet material deposition	IV.	Acrylonitrile butadiene styrene (ABS)

- (a) P-3-III, Q-1-IV, R-4-I, S-2-II      (b) P-3-II, Q-2-IV, R-4-I, S-1-III  
 (c) P-4-III, Q-2-IV, R-1-II, S-3-I      (d) P-3-II, Q-2-IV, R-1-I, S-4-III

Ans. (b)

End of Solution

**Q.41** A plate of 30 mm thickness is fed through a rolling mill with two powered rolls. Each roll has a diameter of 500 mm. The plate thickness is to be reduced to 27 mm in a single pass. Assume no change in width. The process feasibility and the maximum draft (in mm) can be represented, respectively, as  
 Use the coefficient of friction as 0.12

- (a) feasible and 3.6      (b) NOT feasible and 2.6  
 (c) feasible and 3.0      (d) NOT feasible and 6.0

Ans. (a)

$$\begin{aligned} \Delta h_{\max} &= \mu^2 R \\ &= (0.12)^2 \times \frac{500}{2} = 3.6 \text{ mm} \end{aligned}$$

Maximum possible reduction in single pass.

According to Question,


$$\begin{aligned} \Delta h &= h_i - h_f \\ &= 30 - 27 = 3 \text{ mm} \end{aligned}$$

So feasible.

End of Solution




- Q.42** The system shown in the figure below consists of a cantilever beam (with flexural rigidity  $EI$  and negligible mass), a spring (with spring constant  $K$  and negligible mass) and a block of mass  $m$ . Assuming a lumped parameter model for the system, the fundamental natural frequency ( $\omega_n$ ) of the system is



- (a)  $\sqrt{\frac{\frac{3EI}{L^3} + K}{m}}$       (b)  $\sqrt{\frac{\frac{EI}{L^3} + K}{m}}$   
 (c)  $\sqrt{\frac{\frac{3EI}{L^3} + K}{2m}}$       (d)  $\sqrt{\frac{\frac{EI}{L^3} + K}{2m}}$

**Ans. (a)**



First we are going to calculate bending stiffness of beam ( $K_{\text{beam}}$ )

$$\text{Static deflection } (\Delta) = \frac{Wl^3}{3EI} = \frac{mgl^3}{3EI}$$

$$\sqrt{\frac{K_{\text{beam}}}{m}} = \sqrt{\frac{g}{\Delta}}$$

$$\frac{K_{\text{beam}}}{m} = \frac{g}{\frac{mgl^3}{3EI}}$$

$$K_{\text{beam}} = \frac{3EI}{l^3}$$

Equivalent stiffness,  $K_{\text{eq}} = K_{\text{beam}} + K$

$$= \left( \frac{3EI}{l^3} + K \right)$$

$$\omega_n = \sqrt{\frac{K_{\text{eq}}}{m}} = \sqrt{\frac{\frac{3EI}{l^3} + K}{m}}$$

**End of Solution**



# UPPSC-AE 2024 Exam

## Live Online Program

### Prelims Specific Course

Streams : • CE • ME • EE

Batches Going On | Admissions Open

Subjects that have already been taught will be made available in recorded-mode.

#### Features:

- 360-degree coverage of the UPPSC-AE 2024 Prelims Specific Course syllabus.
- Structured and effective curriculum aligns with the UPPSC-AE.
- Quality teaching with a clear and concise approach.
- Prelims-specific workbook with a wide range of practice question sets.
- Exam simulated Online test series for UPPSC AE Prelims exam.
- Dedicated doubt chat facility with faculty members.
- Live Classes + accessibility to watch recorded classes 2 times. Subjects that have already been taught will be made available in recorded-mode.
- Option to opt course "with book" or "without books".

**Delhi Centre :** 44-A/1, Kalu Sarai, Near Hauz Khas Metro Station, New Delhi-110016 • Ph: 9021300500

**MADE EASY Centres :** Delhi | Bhopal | Hyderabad | Jaipur | Kolkata | Pune  [www.madeeasyprime.com](http://www.madeeasyprime.com)

- Q.43** The endurance limit of a specific grade of steel is same as its yield strength. The ultimate strength of this grade of steel is twice of its yield strength. A component made of this steel is loaded in tension and unloaded periodically. It is required that the component does NOT fail for at least  $10^6$  loading cycles, as per the Soderberg law. Considering a factor of safety of 2, the maximum applied tensile principal stress is
- (a) one-fourth of the endurance limit      (b) half of the endurance limit  
(c) the endurance limit                              (d) twice the endurance limit

**Ans. (b)**

For repeated fatigue stress condition,  $\sigma_{\max}$  using soderberg equation,

if  $\sigma_e = S_{yt}$ ;  $S_{ut} = 2S_{yt}$ ;  $N = 2$

For repeated fatigue stress condition,

$$\sigma_m = \sigma_a = \frac{\sigma_{\max}}{2}$$

$$\frac{\sigma_m}{\sigma_{yt}} + \frac{\sigma_a}{\sigma_e} = \frac{1}{N}$$

$$\frac{\sigma_{\max}}{2\sigma_e} + \frac{\sigma_{\max}}{2\sigma_e} = \frac{1}{2}$$

$$\frac{\sigma_{\max}}{2\sigma_e} + \frac{\sigma_{\max}}{2\sigma_e} = \frac{1}{2}$$

$$\sigma_{\max} = \frac{\sigma_e}{2}$$

**End of Solution**

- Q.44** For a fully-developed pipe flow, which of the following options is/are correct?
- (a) For the same maximum velocity, the average velocity is higher in the turbulent regime than that of the laminar regime  
(b) Compressibility effects are important if Mach number is less than 0.3  
(c) For laminar flow, the friction factor is independent of surface roughness  
(d) For laminar flow, friction factor decreases with decrease in Reynolds number

**Ans. (a, c)**

- (a) For same maximum velocity average velocity of turbulent flow is larger than that of laminar flow because the velocity variation is parabolic in laminar regime while logarithmic in turbulent regime.  
(c) Friction factor is independent of surface roughness in laminar flow.

**End of Solution**

- Q.45** If  $C$  is the unit circle in the complex plane with its center at the origin, then the value of  $n$  in the equation given below is \_\_\_\_\_ (rounded off to 1 decimal place).

$$\oint_C \frac{z^3}{(z^2 + 4)(z^2 - 4)} dz = 2\pi i n$$

**Ans. (-0.1 to 0.1)**

$$\text{Poles: } (z^2 - 4)(z^2 + 4) = 0$$

$$z = \pm 2, \pm 2i$$

All the poles are lies outstack the closed curve.

**End of Solution**

**Q.46** The directional derivative of the function  $f$  given below at the point  $(1, 0)$  in the direction of  $\frac{1}{2}(\hat{i} + \sqrt{3}\hat{j})$  is\_\_\_\_\_ (Rounded off to 1 decimal place).

$$f(x, y) = x^2 + xy^2$$

**Ans. (0.9 to 1.1)**

$$f(x, y) = x^2 + xy^2$$

Let

$$\vec{a} = \frac{1}{2}\hat{i} + \frac{\sqrt{3}}{2}\hat{j}$$

$$\nabla f = \frac{\partial f}{\partial x}\hat{i} + \frac{\partial f}{\partial y}\hat{j} = (2x + y^2)\hat{i} + (2xy)\hat{j}$$

$$\nabla f|_{(1,0)} = (2 \times 1 + 0)\hat{i} + 0\hat{j} = 2\hat{i}$$

$$\text{D.D.} = \nabla f \cdot \frac{\vec{a}}{|\vec{a}|} = (2x\hat{i}) \cdot \frac{\left(\frac{\hat{i}}{2} + \frac{\sqrt{3}}{2}\hat{j}\right)}{\sqrt{\frac{1}{4} + \frac{3}{4}}}$$

$$= \frac{2 \times \frac{1}{2}}{1} = 1$$

**End of Solution**

**Q.47** Let  $y$  be the solution of the differential equation with the initial conditions given below. If  $y(x = 2) = A \ln 2$ , then the value of  $A$  is \_\_\_\_\_ (rounded off to 2 decimal places).

$$x^2 \frac{d^2 y}{dx^2} + 3x \frac{dy}{dx} + y = 0 \quad y(x = 1) = 0 \quad 3x \frac{dy}{dx}(x = 1) = 1$$

**Ans. (0.45 to 0.55)**

$$\frac{x^2 d^2 y}{dx^2} + 3x \frac{dy}{dx} + y = 0$$

$$(D(D - 1) + 3D + 1)y = 0$$

$$(D^2 - D + 3D + 1)y = 0$$

$$(D^2 + 2D + 1)y = 0$$

$$(D^2 + 1)y = 0$$

$$\text{AE: } (m + 1)^2 = 0$$

$$m = -1, 1$$



ANNOUNCING

## FOUNDATION COURSES for ESE 2026 & GATE 2026

The foundation batches are taught comprehensively which cover the requirements of all technical-syllabus based examinations.

- ✓ Classes by experienced & renowned faculties.
- ✓ Comprehensive & updated study material.
- ✓ Exam oriented learning ecosystem.
- ✓ Concept practice through workbook solving.
- ✓ Efficient teaching with comprehensive coverage.
- ✓ Similar teaching pedagogy in offline & online classes.
- ✓ Systematic subject sequence and timely completion.
- ✓ Regular performance assessment through class tests.

### Commencement Dates :



#### Offline Batches at Delhi

CE	8 <sup>th</sup> Mar
ME	6 <sup>th</sup> Mar
EE/EC/IN	17 <sup>th</sup> Mar
CS	28 <sup>th</sup> Feb & 20 <sup>th</sup> Mar

#### Teaching Hours

##### GATE Exclusive

- CE, ME : 950 to 1000 Hrs.
- EE : 800 to 850 Hrs.
- EC, IN, CS : 650-700 Hrs.

##### GATE + ESE

- CE, ME, EE, EC : 1200-1250 Hrs.



#### Live-Online Batches

CE/ME/EE/E&T	17 <sup>th</sup> Mar (Evening)
CE (L8)	18 <sup>th</sup> Mar (Morning)
EC/IN/CS	17 <sup>th</sup> Mar (Evening)

#### Teaching Hours

##### GATE Exclusive

- CE, ME, EE : 750 to 800 Hrs.
- EC, IN, CS : 650-700 Hrs.

##### GATE + ESE

- CE, ME, EE, EC : 1050-1100 Hrs.

More batches to be announced in Mar, Apr, May 2025

**Note :** Courses with SES (State Engineering Services) are also available.

Low Cost EMI Facility Available

Admissions Open

**Delhi Centre :** 44-A/1, Kalu Sarai, Near Hauz Khas Metro Station, New Delhi-110016 • Ph: 9021300500

**MADE EASY Centres :** Delhi | Bhopal | Hyderabad | Jaipur | Kolkata | Pune  [www.madeeasy.in](http://www.madeeasy.in)

$$y = (C_1 + C_2 t)e^{-t}$$

$$y = (C_1 + C_2 \ln x)e^{-\ln x}$$

$$y = (C_1 + C_2 \ln x)e^{\ln\left(\frac{1}{x}\right)}$$

$$y = (C_1 + C_2 \ln x)\frac{1}{x}$$

At  $x = 1$ ,  $y = 0$

$$0 = (C_1 + C_2 \ln 1)\frac{1}{1}$$

$$0 = C_1 + 0$$

$$C_1 = 0$$

$$y = \frac{C_1}{x} + \frac{C_2 \ln x}{x}$$

$$\frac{dy}{dx} = -\frac{C_1}{x^2} + C_2 \frac{x\left(\frac{1}{x}\right) - \ln x}{x^2} = \frac{-C_1 + C_2(1 - \ln x)}{x^2}$$

At  $x = 1$ ,  $\frac{dy}{dx} = 1$

$$1 = 0 + \frac{C_2 + (1 - \ln 1)}{1} = C_2$$

Now,

$$y = \frac{C_1}{x} + \frac{C_2 \ln x}{x}$$

$$y = \frac{\ln x}{x}$$


At  $x = 2$ ,  $y = A \ln 2$

$$A \ln 2 = \frac{\ln 2}{2}$$

$$A = \frac{1}{2}$$

**End of Solution**

- Q.48** Consider a cylindrical furnace of 5 m diameter and 5 m length with bottom, top and curved surfaces maintained at uniform temperatures of 800 K, 1500 K and 500 K, respectively. The view factor between the bottom and top surfaces,  $F_{12}$  is 0.2. The magnitude of net radiation heat transfer rate between the bottom surface and the curved surface is \_\_\_\_\_ kW (rounded off to 1 decimal place). All surfaces of the furnace can be assumed as black. The Stefan-Boltzmann constant,  $\sigma = 5.67 \times 10^{-8} \text{ W m}^{-2} \text{ K}^{-4}$ .



Ans. (308 to 310)

$$D = H = 5 \text{ m}, F_{13} = 0.8, F_{23} = 0.8, F_{13} + F_{11} + F_{12} = 1$$

$$F_{12} = 1 - F_{13} = 1 - 0.8 = 0.2$$


$$A_1 = A_2 = \frac{\pi D^2}{4}$$

$$A_3 = \pi DH$$

$$R_{12} = \frac{1}{A_1 F_{12}} = \frac{1}{\frac{\pi D^2}{4} \times 0.2} = \frac{20}{\pi D^2}$$

$$R_{23} = \frac{1}{A_2 F_{23}} = \frac{1}{\frac{\pi D^2}{4} \times 0.8} = \frac{5}{\pi D^2}$$

$$R_{13} = \frac{1}{A_1 F_{13}} = \frac{1}{\frac{\pi D^2}{4} \times 0.8} = \frac{5}{\pi D^2}$$



$$q_{23} = \frac{E_{b2} - E_{b3}}{R_{23}} = \frac{\sigma(T_2^4 - T_3^4)}{\frac{5}{\pi D^2}}$$

$$= 5.67 \times 10^{-8} (1500^4 - 500^4) \times \frac{\pi(5)^2}{5}$$

$$= 4453207.586 \text{ W}$$


$$= 4453.207 \text{ kW}$$

$$q_{13} = \frac{E_{b1} - E_{b3}}{R_{13}} = \frac{\sigma(T_1^4 - T_3^4)}{R_{13}} = \frac{5.67 \times 10^{-8} (800^4 - 500^4)}{\frac{5}{\pi D^2}}$$

$$= \frac{5.67 \times 10^{-8} \times \pi(5)^2 (800^4 - 500^4)}{5}$$

$$q_{13} = 309141.6707 \text{ W} = 309.141 \text{ kW}$$

End of Solution



## Total 10 Tests (Total 1125 Questions)

5 Part Syllabus Tests + 5 Full Syllabus Tests

### Paper Pattern:

- ↪ Each question carries 2 Marks
- ↪ There is a penalty of 0.66 Mark for every wrong answer.

### Test Series Features:

- ↪ Quality questions as per UPPSC-AE standard and pattern.
- ↪ Step by step detailed solutions for tough questions.
- ↪ Detailed performance analysis report.

**Stream : CE, ME, EE**

### Test Series Schedule

Test No.	Activate Date	Total Questions	Total Time	Test Type	Syllabus Covered
1	20 <sup>th</sup> Feb 2025	75 Qs	1 Hour	Part Syllabus Test	General Principles of Design and Drawing, Industrial Safety and Safety Standards, Engineering Materials, Quality Control, Types of Machinery and Maintenance, Production and Construction, Handling and Storage of Products
2	27 <sup>th</sup> Feb 2025	75 Qs	1 Hour	Part Syllabus Test	Basics of project Management, Information and communication technologies, Ethics and values in engineering profession, intellectual property rights, Role of science and technology in daily life, recent developments in applied sciences, basics of artificial intelligence and robotics
3	6 <sup>th</sup> Mar 2025	75 Qs	1 Hour	Part Syllabus Test	Green Energy, Energy conversion principles, Climate change, Disaster Management, Basics of thermodynamics, Water resources and conservation processes, Basics of measurement and instrumentation, Human health and sanitation
4	13 <sup>th</sup> Mar 2025	75 Qs	1 Hour	Part Syllabus Test	General Hindi
5	20 <sup>th</sup> Mar 2025	75 Qs	1 Hour	Part Syllabus Test	Indian History, Indian Polity, Geography, GK & Miscellaneous and Current Affairs
6	27 <sup>th</sup> Mar 2025	150 Qs	2 Hours	Full Syllabus Test	Full Syllabus Test (100 Qs. Engineering Aptitude + 25 Hindi + 25 General Studies)
7	3 <sup>rd</sup> Apr 2025	150 Qs	2 Hours	Full Syllabus Test	Full Syllabus Test (100 Qs. Engineering Aptitude + 25 Hindi + 25 General Studies)
8	5 <sup>th</sup> Apr 2025	150 Qs	2 Hours	Full Syllabus Test	Full Syllabus Test (100 Qs. Engineering Aptitude + 25 Hindi + 25 General Studies)
9	8 <sup>th</sup> Apr 2025	150 Qs	2 Hours	Full Syllabus Test	Full Syllabus Test (100 Qs. Engineering Aptitude + 25 Hindi + 25 General Studies)
10	11 <sup>th</sup> Apr 2025	150 Qs	2 Hours	Full Syllabus Test	Full Syllabus Test (100 Qs. Engineering Aptitude + 25 Hindi + 25 General Studies)

**Fee: ₹1000/-**  
For Non-MADE EASY  
Students

**₹500/-**  
For MADE EASY GATE & ESE  
Batch Students (Old/Current)

**₹500/-**  
For MADE EASY AE/JE  
Batch Students (Old/Current)

**Nil**  
For UPPSC-AE  
Batch Students




[www.madeeasy.in](http://www.madeeasy.in)

| 9021300500

[Click to Enroll](#)



- Q.49** A pitot tube connected to a U-tube mercury manometer measures the speed of air flowing in the wind tunnel as shown in the figure below. The density of air is  $1.23 \text{ kg m}^{-3}$  while the density of water is  $1000 \text{ kg m}^{-3}$ . For the manometer reading of  $h = 30 \text{ mm}$  of mercury, the speed of air in the wind tunnel is \_\_\_\_\_  $\text{m s}^{-1}$  (rounded off to 1 decimal place). Assume: Specific gravity of mercury = 13.6  
Acceleration due to gravity =  $10 \text{ m s}^{-2}$



**Ans. (80 to 83)**

Pitot tube

We know that,

$$V = \sqrt{2gh}$$

$$h = x \left[ \frac{\rho_m}{\rho_f} - 1 \right]$$

$$h = \frac{30}{1000} \left[ \frac{13600}{1.23} - 1 \right] = 331.67 \text{ m}$$

$$V = \sqrt{2 \times 10 \times 331.67}$$

$$V = 81.45 \text{ m/s}$$

**End of Solution**

- Q.50** Consider a velocity field  $\vec{V} = 3z\hat{i} + 0\hat{j} + Cx\hat{k}$ , where C is a constant. If the flow is irrotational, the value of C is \_\_\_\_\_ (rounded off to 1 decimal place).

**Ans. (2.9 to 3.1)**

For irrotational flow,  $\nabla \times \vec{V} = 0$


$$\omega_{xz} = \frac{1}{2} \left( \frac{\partial w}{\partial x} - \frac{\partial u}{\partial z} \right) = 0$$

$$\frac{1}{2}(c - 3) = 0$$

$$c = 3$$


**End of Solution**

- Q.51** Water enters a tube of diameter,  $D = 60$  mm with mass flow rate of  $0.01 \text{ kg s}^{-1}$  as shown in the figure below. The inlet mean temperature is  $T_{m,i} = 293 \text{ K}$  and the uniform heat flux at the surface of the tube is  $2000 \text{ W m}^{-2}$ . For the exit mean temperature of  $T_{m,o} = 353 \text{ K}$ , the length of the tube,  $L$  is \_\_\_\_\_m (rounded off to 1 decimal place). Use the specific heat of water as  $4181 \text{ J kg}^{-1} \text{ K}^{-1}$ .



**Ans. (6.5 to 6.8)**

Given:  $D = 60 \text{ mm} = 0.060 \text{ meter}$ ,  $T_{bm(\text{inlet})} = 293 \text{ K}$ ,  $T_{bm(\text{outlet})} = 353 \text{ K}$ ,  
 $q'' = 2000 \text{ W/m}^2$ ,  $\dot{m} = 0.01 \text{ kg/s}$ ,  $C_p = 4180$



Total rate of heat transfer:

$$q = q''(\pi DL) = \dot{m}C_p(T_{bm(\text{outlet})} - T_{bm(\text{inlet})})$$

$$2000 \times \pi \times 0.060 \times l = 0.01 \times 4180 \times (353 - 293)$$


$$\Rightarrow l = 6.6526 \text{ meter}$$

**End of Solution**

- Q.52** A thermal power plant is running with no reheat or regeneration. The specific enthalpy and specific entropy of steam at the turbine inlet are  $3344 \text{ kJ kg}^{-1}$  and  $6.5 \text{ kJ kg}^{-1} \text{ K}^{-1}$ , respectively. The turbine isentropic efficiency is 0.9, and the mass flow rate of steam at the turbine inlet is  $102 \text{ kg s}^{-1}$ . The turbine power output is \_\_\_\_MW (rounded off to 1 decimal place). Properties of saturated liquid and saturated vapor at turbine exit pressure

Saturated liquid water		Saturated liquid vapor	
Specific entropy ( $\text{kJ kg}^{-1}$ )	Specific entropy ( $\text{kJ kg}^{-1} \text{ K}^{-1}$ )	Specific enthalpy ( $\text{kJ kg}^{-1}$ )	Specific entropy ( $\text{kJ kg}^{-1} \text{ K}^{-1}$ )
341	1.1	2645	7.6

Ans. (98.5 to 101.5)



$$\eta_T = 0.9, \dot{m} = 102 \text{ kg/sec}$$

$$S_1 = S_2$$

$$6.5 = 101 + x(7.6 - 1.1)$$

$$x = 0.83076$$

$$h_2 = 341 + 0.83076(2645 - 341) = 2255.092$$

$$W_T = (h_1 - h_2)\eta_T = (3344 - 2255.092) \times 0.9 = 980.016 \text{ kJ/kg}$$

$$P = \dot{m} \times W_T = 102 \times 980.016 = 99961.726 \text{ K} = 99.961 \text{ MW}$$

End of Solution

**Q.53** Consider a Pelton wheel of 1 m diameter. The magnitude of relative velocity of water at the bucket inlet is same as the magnitude of relative velocity of water at the bucket exit. The absolute speed of water at the bucket inlet is  $125.66 \text{ m s}^{-1}$ . For maximum power output from the Pelton wheel, the rpm of the Pelton wheel is\_\_\_\_(rounded off to 1 decimal place).

Ans. (1197 to 1203)

We know that for maximum power condition,

$$u = \frac{V_1}{2} = 62.83 \text{ m/s}$$

$$u = u_1 = u_2 = 62.83 = \frac{\pi DN}{60} = \frac{\pi \times 1 \times N}{60}$$

$$N = 1199.97 \simeq 1200 \text{ rpm}$$

End of Solution

**Q.54** A thermodynamically closed system contains 1 kg of hydrogen. The system undergoes a reversible polytropic process with polytropic index 1.3. The work output during the process is 400 kJ. During the process, hydrogen behaves as an ideal gas with constant specific heats. The absolute value of heat transfer during the process is \_\_\_\_\_ kJ (rounded off to 1 decimal place).

Specific heat of hydrogen at constant pressure =  $14.56 \text{ kJ kg}^{-1} \text{ K}^{-1}$

Specific heat of hydrogen at constant volume =  $10.4 \text{ kJ kg}^{-1} \text{ K}^{-1}$



# POSTAL Packages

- CSE
- GATE
- SSC-JE
- ESE
- UPPSC-AE
- RRB-JE

Our Postal Book Packages cater to the needs of college-going students, working professionals, and individuals unable to join classroom courses. These books, offered by MADE EASY, are designed to be compact, comprehensive, and easily understandable. We have put our efforts to ensure error-free content, incorporating smart and shortcut techniques specifically tailored for solving numerical problems.

**Revised and updated study materials**

**Helpline : 8860378004**

## Salient Features of Postal Study Package

- Complete syllabus coverage aligned with latest pattern/syllabus.
- Detailed theory and practice exercises.
- Latest and updated study material
- Step by step solutions
- Ample no. of practice questions with PYQs.
- Emphasis on technical and non technical sections both.
- Subject-wise theory objective and conventional practice sets.
- Proven track record of student success.

**For online purchase, Visit :**

**[www.madeeasypublications.org](http://www.madeeasypublications.org)**

For offline purchase, visit in-person at any MADE EASY center.  
Books will be sent to your provided address.

**Note 1 :** Books are usually sent in two or more packages.

**Note 2 :** Current Affairs for ESE will be sent 1 month prior to the examination.

**10% Discount**

**Launching  
Offer**

**ESE 2026 GATE 2026**

**ESE + GATE 2026**

Valid till 31<sup>st</sup> March, 2025

**Address :** 44-A/4, Kalu Sarai, Near Hauz Khas Metro Station, New Delhi-110016

**9021300500**

**[www.madeeasypublications.org](http://www.madeeasypublications.org)**

Ans. (99 to 101)

$$Q_{\text{Poly}} = W_{\text{Poly}} \times \frac{\gamma - n}{\gamma - 1} \quad (\because \gamma = 1.4)$$

$$= 400 \times \frac{1.4 - 1.3}{1.4 - 1} = 100 \text{ kJ}$$

End of Solution

**Q.55** A heat pump, operating in reversed Carnot cycle, maintains a steady air temperature of 300 K inside an auditorium. The heat pump receives heat from the ambient air. The ambient air temperature is 280 K. Heat loss from the auditorium is 15 kW. The power consumption of the heat pump is \_\_\_\_ kW (rounded off to 2 decimal places).


Ans. (0.95 to 1.1)

$$\text{COP}_{\text{HP}} = \frac{T_H}{T_H - T_L}$$

$$\frac{\dot{Q}_H}{\dot{W}} = \frac{300}{300 - 280}$$

$$\frac{15}{\dot{W}} = 15$$


$$\dot{W} = 1 \text{ kW}$$



End of Solution

**Q.56** The state of stress at a point is shown in the figure given below. Under plane stress assumption, the normal strain along the thickness direction ( $\epsilon_{zz}$ ) is \_\_\_\_ (rounded off to 2 decimal places).

Use the Young's Modulus  $E = 200 \text{ GPa}$  and Poisson's ratio  $\nu = 0.27$ .



Ans. (–0.29 to –0.25)

Given:

$$\epsilon_{zz} \text{ if } \sigma_x = 350 \text{ GPa}, \sigma_y = -150 \text{ GPa}$$

$$\tau_{xy} = -50 \text{ GPa}, E = 200 \text{ GPa}$$


$$\mu = 0.27$$

$$\epsilon_z = \frac{1}{E} [\sigma_z - \mu(\sigma_x + \sigma_y)] = \frac{1}{200} [0 - 0.27(350 - 150)]$$


$$\epsilon_z = -0.27$$

End of Solution

- Q.57** A simply supported beam of length 1 m is subjected to a uniformly distributed bending moment of 1 N m per m throughout the length as shown in the figure given below. The bending moment at the mid-point of the beam is \_\_\_\_ N m (rounded off to the nearest integer).



Ans. (0)



$$m = 1 \text{ N-m/m}, L = 1 \text{ m}, (BM)_C = ?$$


$$x = 0 \text{ to } L$$

$$\begin{aligned} M_{x-x} &= R_A(x) - mx \\ &= m(x) - mx = 0 \end{aligned}$$


Hence,  $(BM)_C = M_C = \text{Zero}$

End of Solution

- Q.58** An isotropic brittle material is tested in the universal testing machine. The stress-strain diagram for the material shows a bi-linear elastic behavior as shown in the figure given below. The strain energy density is \_\_\_\_\_ MJ m<sup>-3</sup> (rounded off to 2 decimal places).



Ans. (1 to 1.1)





Launching

## 10 Full Syllabus Tests (Total 1500 Questions)

Commenced from **11<sup>th</sup> FEB 2025** | Stream : **CE, ME, EE, EC**

### Paper Pattern:

- ➔ Each question carries 1 Mark.
- ➔ There will be a negative marking of 1/3<sup>rd</sup> Mark for every wrong answer.

### Test Series Features:

- ➔ Questions crafted to align with the RRB-JE syllabus and exam format.
- ➔ Comprehensive, step-by-step solutions for tough questions.
- ➔ Detailed performance analysis report to track your progress.

RRB JE CBT 2 Exam Pattern 2024	Subject	No. of Questions	Marks	Duration
	General Awareness	15	15	120 Mins
	Physics & Chemistry	15	15	
	Basics of Computers and Applications	10	10	
	Basics of Environment and Pollution Control	10	10	
	<b>Technical Abilities (CE/ME/EE/EC)</b>	<b>100</b>	<b>100</b>	
	<b>Total</b>	<b>150</b>	<b>150</b>	

Test Series Schedule	Test No.	Activate Date	Total Marks	Total Questions	Total Time
	1	11 <sup>th</sup> Feb 2025	150 Marks	150 Qs	2 Hours
	2	14 <sup>th</sup> Feb 2025	150 Marks	150 Qs	2 Hours
	3	18 <sup>th</sup> Feb 2025	150 Marks	150 Qs	2 Hours
	4	21 <sup>st</sup> Feb 2025	150 Marks	150 Qs	2 Hours
	5	25 <sup>th</sup> Feb 2025	150 Marks	150 Qs	2 Hours
	6	28 <sup>th</sup> Feb 2025	150 Marks	150 Qs	2 Hours
	7	4 <sup>th</sup> Mar 2025	150 Marks	150 Qs	2 Hours
	8	7 <sup>th</sup> Mar 2025	150 Marks	150 Qs	2 Hours
	9	11 <sup>th</sup> Mar 2025	150 Marks	150 Qs	2 Hours
	10	14 <sup>th</sup> Mar 2025	150 Marks	150 Qs	2 Hours

Fee: ₹500/-



[www.madeeasy.in](http://www.madeeasy.in)

| 9021300500

[Click to Enroll](#)

$$\text{Modulus of resilience} = \frac{1}{2} \times 100 \times 0.1 = 0.5 \text{ N-mm/m}^3 \text{ or MJ/m}^3$$

$$\begin{aligned} \text{Modulus of toughness} &= 0.5 + (100 \times 0.005) + \frac{1}{2} \times 20 \times 0.005 \\ &= 1.05 \text{ MJ/m}^3 \end{aligned}$$

**End of Solution**

**Q.59** A pair of spur gears is required to maintain a velocity ratio of 1:2. The module of the gears is 10 mm and the addendum is 10 mm. If the operating pressure angle is  $15^\circ$ , the minimum number of teeth required on the pinion to ensure NO interference/undercutting is \_\_\_\_ (answer in integer).

**Ans. (25)**

$$A_P = A_G = 1$$

$$\text{V.R.} = \frac{1}{2}$$

$\Rightarrow$

$$G = 2$$

$$t_{\min} = ??$$

$$T_{\min} = \frac{2A_G}{\sqrt{1 + \frac{1}{G} \left( \frac{1}{G} + 2 \right) \sin^2 \phi} - 1} = \frac{2 \times 1}{\sqrt{1 + \frac{1}{2} \left( \frac{1}{2} + 2 \right) \sin^2 15^\circ} - 1}$$


$$T_{\min} = 48.750 = 49$$

$$t_{\min} = \frac{T_{\min}}{2} = \frac{49}{2} = 24.5 = 25$$

$$t_{\min} = 25$$


**End of Solution**

**Q.60** An offset slider-crank mechanism is shown in the figure below. The length of the stroke of the slider is \_\_\_\_ mm (rounded off to nearest integer).






Ans. (61 to 63)



$$OM = \sqrt{80^2 - 10^2}$$

$$= 79.3725 \text{ mm}$$



$$OM' = \sqrt{20^2 - 10^2} = 17.3205$$


$$\text{Stroke} = OM - OM' = 79.3725 - 17.3205$$

$$= 62.0519 \text{ mm}$$


**End of Solution**

**Q.61** Two plates of thickness 10 mm each are to be joined by a transverse fillet weld on one side and the resulting structure is loaded as shown in the figure below.

If the ultimate tensile strength of the weld material is 150 MPa and the factor of safety to be used is 3, the minimum length of the weld required to ensure that the weld does NOT fail is \_\_\_\_\_ mm (rounded off to 2 decimal places).



Ans. (14.10 to 14.20 or 21.10 to 28.40 or 34.10 to 34.20)



$$S_{ys} = 150 \text{ MPa}, N = 3, l = ?$$

$$P = 0.707 \times t \times l_e \times \frac{S_{ys}}{N}$$

$$5000 = 0.707 \times 10 \times l \times \frac{150}{3}$$



# UPPSC-AE 2024 EXAM Postal Package

*On the latest UPPSC-AE syllabus & pattern*

## Only Prelims Package

• CE • ME • EE • AE  
(Common for all)

## Prelims + Mains Package

• CE • ME • EE  
(Seperate)

### Prelims Package : 13 Books (12 Printed + 1 E-book)

- 6 Volumes of Engg. Aptitude Books (covering 22 subjects) : Contain theory, solved examples and practice questions.
- 1 Practice Book of Engg. Aptitude containing solved practice Qs.
- 1 Book each containing theory, PYQs and practice questions of :  
Geography | Indian Polity | Indian History | GK & Misc.
- 1 book of General Hindi containing theory, PYQs and practice Qs.
- E-copy of Current Affairs covering latest developments along-with practice questions.

Fee :  
4,000/-

### Prelims + Mains Package

- 6 Volumes of Engg. Aptitude Books (covering 22 subjects) : Contain theory, solved examples and practice questions.
- 1 Practice Book of Engg. Aptitude containing solved practice Qs.
- 1 Book each of : • Geography • Indian Polity • Indian History • GK & Miscellaneous; containing theory, PYQs and practice Qs.
- 1 Book of General Hindi containing theory, PYQs and practice Qs.
- E-copy of Current Affairs covering latest developments along-with practice questions.
- Technical Theory Books : Contain theory, solved examples and practice questions.
- 1 Practice Book of Technical Subjects : Contains 2000+ Questions with detailed solutions.
- 1 PYQ of Technical Papers : Contains subjectwise/yearwise step by step solutions.

Fee :  
10,000/-

**Address :** 44-A/4, Kalu Sarai, Near Hauz Khas Metro Station, New Delhi-110016

**9021300500**

**www.madeeasypublications.org**

Now, if  $l = 14.14 \text{ mm}$

$$S_{yt} = 150 \text{ MPa} \quad (\text{as given in some memory based questions})$$

$$P = 0.707 t l_e \tau_{\text{per}}$$

$$P = 0.707 t l \times \frac{S_{yt}}{2N} \quad (\because S_{ys} = \frac{S_{yt}}{2} \text{ and } l_e = l)$$

$$5000 = 0.707 \times 10 \times l \times \frac{150}{2 \times 3}$$

$$\therefore l = 28.28 \text{ mm}$$

**Ans:** 14.14 mm if  $S_{ys} = 150 \text{ MPa}$   
 28.28 mm if  $S_{yt} = 150 \text{ MPa}$

**End of Solution**

**Q.62** Two metal parts (a cylinder and a cube) of same volume are cast under identical conditions. The diameter of the cylinder is equal to its height. The ratio of the solidification time of the cube to that of the cylinder is \_\_\_\_\_ (rounded off to 2 decimal places).

Assume that solidification time follows Chvorinov's rule with an exponent of 2.

**Ans. (0.83 to 0.87)**

**Solidification time:**

$$V_{cy} = V_c$$

$$\frac{\pi}{4} d^2 \cdot h = a^3 \quad (\because h = d)$$

$$\frac{\pi}{4} d^3 = a^3$$

$$\Rightarrow \left(\frac{a}{d}\right) = \left(\frac{\pi}{4}\right)^{1/3}$$

$$\frac{(t_s)_{\text{cube}}}{(t_s)_{\text{cylinder}}} = \frac{\left(\frac{V}{A}\right)_c^2}{\left(\frac{V}{A}\right)_{cy}^2} = \frac{\left(\frac{a}{6}\right)^2}{\left(\frac{d}{6}\right)^2} = \left(\frac{a}{d}\right)^2$$

$$= \left(\frac{\pi}{4}\right)^{2/3} = 0.85$$

**End of Solution**

**Q.63** Cylindrical workpieces of diameter 60 mm and length 400 mm are machined on a lathe at a cutting speed of  $25 \text{ m min}^{-1}$  and a feed of  $0.2 \text{ mm rev}^{-1}$ . The Taylor's tool life parameters  $C$  and  $n$  for this setup are 75 and 0.25, respectively. The tool changing time is 3 minutes. With a labor and overhead cost of Rs. 5 per minute, the tool changing cost per piece is Rs. \_\_\_\_\_ (rounded off to 2 decimal places).

**Ans. (2.65 to 2.95)**

Given:

Diameter of workpiece = 60 mm; Length of workpiece = 400 mm

Cutting speed = 25 m/min; Feed = 0.2 mm/rev;

Tool life constant = 75; Tool life exponent = 0.25;  
 Tool change time = 3 min; Labour cost = Rs. 5 per min.  
 Tool change cost =  $z_1 \times \text{number of tool failures/piece} \times \text{TCT}$   
 $\therefore z_1 = \text{Rs. 5 per min.}$

$$\text{Number of tool failure/piece} = \frac{T_m}{T}$$

$$\therefore \text{Machining time, } T_m = \frac{L}{f \times N} = \frac{400}{0.2 \times \left( \frac{1000v}{\pi D} \right)} = \frac{400 \times \pi \times 60}{0.2 \times 1000 \times 25} = 15.0857 \text{ min}$$

$$\text{Tool life, } T = \left( \frac{C}{v} \right)^{1/n} = \left( \frac{75}{25} \right)^{1/0.25} = 81 \text{ min.}$$

$$\text{Number of tool failures piece} = \frac{15.0857}{81} = 0.1862$$

$$\text{Tool change cost per piece} = 5 \times 0.1862 \times 3 = \text{Rs. 2.7936}$$

End of Solution

**Q.64** A company uses 3000 units of a part annually. The units are priced as given in the table below. It costs Rs. 150 to place an order. Carrying costs are 40 percent of the purchase price per unit on an annual basis. The minimum total annual cost is Rs. \_\_\_\_\_ (rounded off to 1 decimal place).

Order quantity	Unit price(Rs.)
1 to 499	9.0
500 to 999	8.5
1000 or more	8.0

**Ans. (26000 to 26100)**

$$D = 3000 \text{ unit, } C_o = ₹150, C_h = 0.4C,$$

$$C = ₹8/\text{unit}$$

$$Q^* = \sqrt{\frac{2DC_o}{C_h}} = \sqrt{\frac{2 \times 3000 \times 150}{0.4 \times 8}} = 530.33 \text{ units/order (Not feasible)}$$

$$C = ₹8.5/\text{unit}$$

$$Q^* = \sqrt{\frac{2DC_o}{C_h}} = 514.49 \text{ units/order (Feasible)}$$

$$\text{T.C.} = D.C + \frac{D}{Q}C_o + \frac{Q}{2}C_h$$

$$\text{T.C.}(514.49) = ₹27249.28$$


$$\text{T.C.}(1000) = ₹26050$$

End of Solution

**Q.65** A project involves eight activities with the precedence relationship and duration as shown in the table below. The slack for the activity D is \_\_\_\_ hours (answer in integer).

Activity	Immediate predecessor	Duration(hours)
A	–	4
B	A	8
C	A	5
D	B	2
E	B	7
F	C	6
G	D	3
H	E,F,G	9

**Ans. (2)**



TES = 0 (Tail Event Slack)

HES = 2 (Head Event Slack)

$$s_j = L_j - E_j$$

$$(TF)_D = 16 - 2 - 12 = 2$$

$$(TF) = LFT - t_{ij} - EST$$

By using,

End of Solution

■■■■



# Foundation Courses for **JE and AE Exams**

Mode: Live-Online

**Civil  
Engineering**

**Mechanical  
Engineering**

**Electrical  
Engineering**

**Non-technical  
Section**

These foundation batches are taught comprehensively which cover the requirements of technical and non-technical syllabus of Junior Engineer and Assistant Engineer level exams.

**Duration of Foundation Course : 1 Year**

## Features



**Classes by  
renowned faculties**



**Comprehensive  
coverage of all subjects**



**Class PDF  
notes**



**Doubt Sessions  
on Telegram**



**Lectures will be  
in Hinglish**



**1 Year Course  
validity**



**Concept Practice  
Book in PDF**



**Dedicated for all  
AE and JE Exams**



**Technical and  
Non- Technical**



**Monthly LIVE  
Guidance Session**



**Get Physical books and  
Study material (Optional)**



**700+ teaching  
hours**



**9021300500**



**www.madeeasyprime.com**